ID	г	7.5	7.5	11	7.	7.	Э Г	7.	7.5	7
11)		- 11	- 11		- 11	- 11		- 11	- 11	- 1
110		- 11	- 11		- 11	- 11		- 11	- 11	

REFERENCE SHEET

Box	A. MARITAL STATUS
Mar	k only ONE of the following for marital status of respondent:
1.	[] Currently married and/or living with man (Question 119: any one of the options 1 or 3)
2.	[] Previously married/lived with man (Question 120, option 1)
3.	
4.	[] Single – not previously married/lived with manno sexual relationship) (Question 120, option 2)
-] Currently with regular sexual partner (dating relationship) (Question 119, option 4) [THIS OPTION IS AVAILABLE IN SOME COUNTRIES ONLY]
6. N	Number of times married/lived together with man (Question 123): [][]

Box B. REPRODUCTIVE HISTORY

Check a	nd complete ALL that applies for reproductive history of respondent:		
1. Resp	ondent has been pregnant at least once (Question 308, 1 or more)	[] Yes	[] No
2. Resp	ondent had at least one live birth (Question 301, 1 or more birth)	[] Yes	[] No
3. Resp	ondent has children who are alive (Question 303, 1 or more children)	[] Yes	[] No
4. Resp	ondent is currently pregnant (Question 310, option 1)	[] Yes	[] No
5. Num	aber of pregnancies reported (Question 308):	[][]	

Box C. VIOLENCE AND INJURIES

<u>Ch</u>	eck and complete ALL that applies for respondent:		
1.	Respondent has been victim of physical violence (Question 707)	[] Yes	[] No
2.	Respondent has been victim of sexual violence (Question 708)	[] Yes	[] No

41

Statistical appendix

Statistical appendix

Discrepancies in totals between tables in this report may arise because missing, refused and "don't know" answers are ignored in most analyses.

Appendix Table I Household and individual sample obtained and response rates, by site

(a) Results of household interviews

			Results for	all houses visited	I			Results for "true" households					
_	inte	sehold rview pleted	House inter refu		Ho em destr		Total no. of houses	No. of household interviews completed	Household response rate ^b	No. of household interviews refused	Household refusal rate	Total no. of "true"	
Site	n	(%)	n	(%)	n	(%)	visited	n	(%)	n	(%)	households	
Bangladesh city	1773	84.2	115	5.5	217	10.3	2105	1773	93.9	115	6.1	1888	
Bangladesh province	1732	89.0	11	0.6	203	10.4	1946	1732	99.4	П	0.6	1743	
Brazil city	1715	79.3	101	4.7	347	16.0	2163	1715	94.4	101	5.6	1816	
Brazil province	1940	90.8	16	0.7	180	8.4	2136	1940	99.2	16	0.8	1956	
Ethiopia province ^c	3173	99.2	0	0.0	27	0.8	3200	n.a.	n.a.	n.a.	n.a.	n.a.	
Japan city ^c	2279	95.0	0	0.0	121	5.0	2400	n.a.	n.a.	n.a.	n.a.	n.a.	
Namibia city	1925	95.1	39	1.9	61	3.0	2025	1925	98.0	39	2.0	1964	
Peru city	1710	88.6	133	6.9	86	4.5	1929	1710	92.8	133	7.2	1843	
Peru province	1955	97.2	22	1.1	35	1.7	2012	1955	98.9	22	1.1	1977	
Samoa ^d	1646	82.5	n.a.	n.a.	n.a.	n.a.	1995	1646	(83-100)	n.a.	n.a.	(1646–1995)	
Serbia and Montenegro city	2769	45.8	1862	30.8	1414	23.4	6045	2769	59.8	1862	40.2	4631	
Thailand city	2131	76.1	203	7.3	465	16.6	2799	2131	91.3	203	8.7	2334	
Thailand province	1836	87.5	20	1.0	243	11.6	2099	1836	98.9	20	1.1	1856	
United Republic of Tanzania city	2042	92.8	22	1.0	136	6.2	2200	2042	98.9	22	1.1	2064	
United Republic of Tanzania province	1950	88.8	7	0.3	240	10.9	2197	1950	99.6	7	0.4	1957	

a Includes households speaking a non-local language: 1 in Japan, 4 in Serbia and Montenegro, 6 in United Republic ofTanzania city, and 64 in United Republic ofTanzania province.

b Household response rate is calculated as the number of completed household interviews as a percentage of total "true" households (i.e. all the houses in the sample minus those that were empty or destroyed).

Sample based on direct selection of women; therefore the household response rate cannot be determined in a comparable way.
 The household response rate for Samoa is not precisely known, because the data set consists of completed household interviews (1646) only, and does not contain information on all the houses in the original sample (1995).

(b) Result	ts of indiv	ridual inte	rviews													
				Res	ults for all eli	gible househ	olds						Results fo	or "true" individuals (eligib	e women)	
	inter	vidual rview oleted	Indiv inter refu	view	Indiv absent/po incapa	ostponed/	No el woma house	an in	interviev	vidual w partially pleted	Total no. of eligible house-holds (with completed	No. of individual interviews completed	Individual response rate ^a	No. of individuals refused/absent/ interview not completed	Individual refusal rate	Total no. of households with eligible selected
Site	n	(%)	n	(%)	n	(%)	n	(%)	n	(%)	household interview)	n	(%)	n	(%)	women
Bangladesh city	1603	90.4	18	1.0	30	1.7	102	5.8	20	1.1	1773	1603	95.9	68	4.1	1671
Bangladesh province	1527	88.2	2	0.1	57	3.3	138	8.0	8	0.5	1732	1527	95.8	67	4.2	1594
Brazil city	1172	68.3	63	3.7	58	3.4	412	24.0	10	0.6	1715	1172	89.9	131	10.1	1303
Brazil province	1473	75.9	20	1.0	42	2.2	401	20.7	4	0.2	1940	1473	95.7	66	4.3	1539
Ethiopia province ^b	3016	95.1	17	0.5	50	1.6	90°	2.8	0	0.0	3173	3016	97.8	67	2.2	3083
Japan city ^b	1371	60.2	591 ^d	25.9	317	13.9	0	0.0	0	0.0	2279	1371	60.2	908	39.8	2279
Namibia city	1500	77.9	13	0.7	27	1.4	382	19.8	3	0.2	1925	1500	97.2	43	2.8	1543
Peru city	1414	82.7	100	5.8	13	0.8	169	9.9	14	0.8	1710	1414	91.8	127	8.2	1541
Peru province	1837	94.0	19	1.0	10	0.5	58	3.0	31	1.6	1955	1837	96.8	60	3.2	1897
Samoa	1640	99.6	0	0.0	2	0.1	1	0.1	3	0.2	1646	1640	99.7	5	0.3	1645
Serbia and Montenegro city	1456	52.6	98	3.5	82	3.0	1131	40.8	2	0.1	2769	1456	88.9	182	11.1	1638
Thailand city	1536	72.1	123	5.8	138	6.5	324	15.2	10	0.5	2131	1536	85.0	271	15.0	1807
Thailand province	1282	69.8	17	0.9	59	3.2	470	25.6	8	0.4	1836	1282	93.9	84	6.1	1366
United Republic of Tanzania city	1820	89.1	20	1.0	45	2.2	150	7.3	7	0.3	2042	1820	96.2	72	3.8	1892
United Republic of Tanzania province	1450	74.4	6	0.3	38	1.9	452	23.2	4	0.2	1950	1450	96.8	48	3.2	1498

a Individual response rate is calculated as: number of completed interviews as a percentage of the number of households with eligible women and those where it could not be

ascertained whether they contained eligible women or not.

b Sample based on direct selection of women; therefore the response rates are not strictly comparable with those of the other sites, as they may include refusals at the household level.

c 90 women in Ethiopia were not eligible: 41 because they were the wrong age, 40 because an eligible woman had already been selected in the same

household, and 9 women had died.

Of the 591 refusals in Japan, 420 eligible women refused personally and in 171 cases another household member refused on the eligible woman's behalf.

Appendix Table 2 Lifetime prevalence of violence against women by an intimate partner among ever-partnered women, by site

(a) Physical violence

Site	Unweighted prevalence (%)	Prevalence weighted for number of eligible women in household (%)	95% confidence interval assuming simple random sample	95% confidence interval corrected for cluster sampling	Total no. of ever-partnered women	No. of clusters
Bangladesh city	39.7	36.9	37.1-42.3	35.3-44.0	1373	39
Bangladesh province	41.7	40.2	39.0-44.3	37.7–45.6	1329	42
Brazil city	27.2	26.1	24.4-30.1	23.9-30.6	940	72
Brazil province	33.8	34.0	31.1-36.4	30.8–36.7	1188	118
Ethiopia province	48.7	n.a. ^a	46.6-50.8	46.6–50.8 ^b	2261	Ь
Japan city	12.9	n.a. ^a	11.0-14.7	11.1-14.7	1277	127
Namibia city	30.6	30.7	28.2-33.1	27.6–33.7	1369	143
Peru city	48.6	49.3	45.6–51.6	45.2–52.0	1086	166
Peru province	61.0	60.8	58.6-63.5	57.5-64.4	1535	110
Samoa	40.5	37.9	37.8-43.3	37.3-43.8	1204	133
Serbia and Montenegro city	22.8	23.1	20.4-25.2	19.9–25.6	1191	179
Thailand city	22.9	20.7	20.4-25.4	19.8–25.9	1049	80
Thailand province	33.8	34.1	30.9-36.7	30.0-37.6	1024	60
United Republic of Tanzania city	32.9	31.2	30.4-35.3	30.4–35.3	1442	22
United Republic of Tanzania province	46.7	45.2	43.9-49.4	42.7-50.6	1256	22

(b) Sexual violence

Site	Unweighted prevalence (%)	Prevalence weighted for number of eligible women in household (%)	95% confidence interval assuming simple random sample	95% confidence interval corrected for cluster sampling	Total no. of ever-partnered women	No. of clusters
Bangladesh city	37.4	36.3	34.8-39.9	32.3-42.4	1373	39
Bangladesh province	49.7	50.4	47.0-52.4	46.3-53.2	1329	42
Brazil city	10.1	9.7	8.2-12.0	8.0-12.2	940	72
Brazil province	14.3	14.9	12.3-16.3	12.2-16.4	1188	118
Ethiopia province	58.6	n.a. ^a	56.5-60.6	56.5-60.6 ^b	2261	ь
Japan city	6.2	n.a. ^a	4.9-7.5	4.7-7.7	1275	127
Namibia city	16.5	17.9	14.5-18.4	14.2-18.7	1367	143
Peru city	22.5	22.8	20.1-25.0	20.0-25.1	1087	166
Peru province	46.7	47.0	44.2-49.2	44.1-49.3	1534	110
Samoa	19.5	19.6	17.3–21.8	17.1-22.0	1204	133
Serbia and Montenegro city	6.3	6.6	4.9-7.7	4.8-7.8	1191	179
Thailand city	29.9	29.8	27.1-32.6	27.1-32.6	1048	80
Thailand province	28.9	29.9	26.1-31.7	26.0-31.9	1024	60
United Republic of Tanzania city	23.0	22.4	20.8-25.1	20.7-25.2	1442	22
United Republic of Tanzania province	30.7	30.9	28.2-33.3	27.9-33.6	1256	22

Appendix Table 2 continued

(c) Physical or sexual violence, or both

Site	Unweighted prevalence (%)	Prevalence weighted for number of eligible women in household (%)	95% confidence interval assuming simple random sample	95% confidence interval corrected for cluster sampling	Total no. of ever-partnered women	No. of clusters
Bangladesh city	53.4	51.6	50.7-56.0	49.3-57.4	1373	39
Bangladesh province	61.7	61.5	59.1-64.3	58.6-64.8	1329	42
Brazil city	28.9	28.2	26.0-31.8	25.5-32.4	940	72
Brazil province	36.9	37.2	34.1 – 39.6	33.9-39.8	1188	118
Ethiopia province	70.9	n.a.a	69.0-72.7	69.0-72.7 ^b	2261	Ь
Japan city	15.4	n.a.a	13.3-17.3	13.4-17.4	1276	127
Namibia city	35.9	36.7	33.4-38.5	32.7-39.1	1367	143
Peru city	51.2	51.7	48.2-54.2	47.8-54.6	1086	166
Peru province	69.0	69.1	66.7-71.4	66.2-71.9	1534	110
Samoa	46.1	44.3	43.3-48.9	42.8-49.4	1204	133
Serbia and Montenegro city	23.7	23.9	21.3-26.1	20.7-26.7	1189	179
Thailand city	41.1	40.0	38.1-44.1	37.9-44.3	1048	80
Thailand province	47.4	48.2	44.3-50.4	43.6-51.1	1024	60
United Republic of Tanzania city	41.3	39.6	38.8-43.9	38.7-44.0	1442	22
United Republic of Tanzania province	55.9	54.6	53.1-58.6	52.3-59.4	1256	22

n.a., not available.

a In Ethiopia and Japan, the women were directly sampled, with each individual having the same probability of being selected.

b In Ethiopia cluster sampling was not applied: a simple random sample of women was selected.

Appendix Table 3 Prevalence of violence against women by an intimate partner among ever-partnered women, by age group, marital status, educational level, and site

	Physica	ıl violence	Sexual	l violence	•	l or sexual e, or both	Total no. of
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women
Age group (years)							
15–19	44.9	36.4	42.4	30.5	58.5	47.5	118
20–24	40.0	23.7	40.4	24.4	55.9	36.7	270
25–29	47.0	25.9	38.1	22.0	57.3	36.3	328
30–34	39.6	15.5	39.2	21.2	55.0	28.4	278
35–39	34.3	9.0	30.7	12.7	49.4	19.3	166
40–44	32.3	6.9	38.5	13.1	47.7	16.2	130
45–49	25.6	2.4	23.2	7.3	34.1	9.8	82
Current partnership status							
Currently married	39.0	19.7	36.6	21.0	52.3	31.4	1283
Currently no partner, divorced/separated	73.2	17.1	65.9	12.2	90.2	19.5	41
Currently no partner, widowed	30.6	2.0	32.7	4.1	51.0	6.1	49
Educational level							
No education	61.5	27.3	48.4	19.3	70.2	33.8	275
Primary education	54.3	26.2	44.2	24.3	66.3	37.8	267
Secondary education	30.6	16.0	34.3	20.4	47.2	28.8	618
Higher education	18.7	8.1	22.0	15.3	32.1	19.6	209
All women	39.7	19.0	37.4	20.2	53.4	30.2	1373

(b) Bangladesh province

	Physica	ıl violence	Sexual	violence	,	or sexual e, or both	Total no. of
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women
Age group (years)							
15–19	25.7	19.3	48.6	32.1	53.2	41.3	109
20–24	34.0	18.9	47.6	27.4	53.3	34.0	212
25–29	48.6	18.5	54.3	31.2	68.1	40.2	276
30–34	45.6	17.9	50.2	22.8	66.5	32.7	263
35–39	44.8	12.9	47.1	21.0	62.9	25.7	210
40_44	39.3	9.3	45.3	12.0	57.3	18.7	150
45–49	43.1	9.2	53.2	19.3	62.4	25.7	109
Current partnership status							
Currently married	41.9	16.5	49.8	25.3	62.0	33.3	1266
Currently no partner, divorced/separated	40.0	5.0	55.0	10.0	60.0	10.0	20
Currently no partner, widowed	37.2	0.0	46.5	0.0	53.5	0.0	43
Educational level							
No education	49.3	19.8	49.3	24.3	64.6	33.7	540
Primary education	44.9	15.8	52.7	21.2	64.7	29.6	419
Secondary education	27.8	10.5	48.0	27.8	55.3	32.5	342
Higher education	§	§	§	§	§	§	18
All women	41.7	15.8	49.7	24.2	61.7	31.9	1329

Appendix Table 3 continued

(c) Brazil city

	Physica	al violence	Sexual	violence	•	l or sexual e, or both	_ Total no. of
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women
Age group (years)							
15–19	24.1	19.0	6.9	3.4	24.1	19.0	58
20–24	21.5	12.3	4.6	0.8	22.3	12.3	130
25–29	28.3	8.7	12.1	4.0	29.5	9.8	173
30–34	26.8	9.2	10.6	2.8	29.6	10.6	142
35–39	28.7	5.6	11.2	3.4	29.8	6.7	178
40–44	24.3	2.7	10.1	2.0	27.7	4.1	148
45–49	36.0	8.1	12.6	2.7	37.8	9.0	111
Current partnership status							
Currently married	20.0	6.5	6.1	2.0	21.4	7.8	490
Living with man, not married	34.6	12.6	12.0	4.7	35.1	13.1	191
Regular partner, living apart	21.4	8.4	7.8	0.6	22.7	9.1	154
Currently no partner, divorced/separated	58.7	9.8	29.3	6.5	63.0	10.9	92
Currently no partner, widowed	§	§	§	§	§	§	13
Educational level							
No education	33.3	8.3	4.2	4.2	33.3	8.3	24
Primary education	32.6	9.6	14.0	4.1	35.8	11.0	436
Secondary education	25.0	8.6	8.9	2.4	25.7	9.6	292
Higher education	17.6	4.8	3.7	0.0	17.6	4.8	188
All women	27.2	8.3	10.1	2.8	28.9	9.3	940

(d) Brazil province

	Physica	al violence	Sexual	violence	,	or sexual e, or both	_ Total no. of ever-partnered women
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	
Age group (years)							
15–19	27.0	20.2	11.2	7.9	27.0	20.2	89
20–24	36.0	21.3	13.5	8.4	38.8	24.7	178
25–29	30.5	13.3	10.2	4.3	32.8	14.5	256
30–34	31.5	11.3	13.8	3.4	35.5	12.3	203
35–39	40.7	8.5	18.6	7.5	45.2	12.6	199
40–44	37.7	11.7	22.1	5.2	42.2	13.6	154
45–49	29.6	4.6	10.2	2.8	31.5	5.6	108
Current partnership status							
Currently married	21.1	7.9	8.3	3.8	24.3	10.3	494
Living with man, not married	41.1	16.7	16.9	6.3	44.3	18.6	479
Regular partner, living apart	39.8	17.2	21.5	6.5	43.0	17.2	93
Currently no partner, divorced/separated	56.4	18.1	25.5	10.6	58.5	20.2	94
Currently no partner, widowed	35.7	3.6	14.3	3.6	39.3	3.6	28
Educational level							
No education	44.8	12.1	26.7	6.9	50.0	14.7	116
Primary education	36.8	14.1	14.8	6.6	39.2	16.1	775
Secondary education	22.2	10.7	9.1	2.5	26.7	11.9	243
Higher education	18.5	7.4	3.7	1.9	20.4	9.3	54
All women	33.8	12.9	14.3	5.6	36.9	14.8	1188

Appendix Table 3 continued

(e) Ethiopia province

	Physica	ıl violence	Sexua	l violence	•	l or sexual e, or both	_ Total no. of
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women
Age group (years)							
15–19	22.8	20.7	56.5	46.7	59.8	50.0	92
20–24	42.0	32.9	53.1	47.6	67.4	59.6	307
25–29	49.5	34.7	66.4	54.2	75.9	63.9	432
30–34	56.9	34.5	63.1	51.8	77.1	62.4	510
35–39	50.0	27.8	57.7	42.6	70.5	52.0	352
40–44	49.7	22.5	55.2	33.8	67.6	41.5	364
45–49	44.1	14.7	47.I	21.6	61.3	27.9	204
Current partnership status							
Currently married	49.7	32.0	59.5	49.2	71.9	59.4	1979
Living with man, not married	§	§	§	§	§	§	I
Regular partner, living apart	§	§	§	§	§	§	14
Currently no partner, divorced/separated	50.5	10.3	59.8	16.5	73.2	19.6	97
Currently no partner, widowed	37.6	6.5	47.1	7.6	58.2	10.0	170
Educational level							
No education	48.3	28.6	58.1	44.0	70.2	52.6	1775
Primary education	51.7	33.9	59.8	47.6	73.1	59.8	271
Secondary education	26.7	16.7	56.7	40.0	56.7	43.3	30
Higher education	§	§	§	§	§	§	18
All women	48.7	29.0	58.6	44.4	70.9	53.7	2261

10						
F C 3 W		7	70			7
L LU	III.	32		ш	1.9	כו

	Physica	ıl violence	Sexual	violence	•	l or sexual e, or both	_ Total no. of	
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women	
Age group (years)								
18–19	3.6	0.0	3.6	3.6	7.1	3.6	28	
20–24	10.4	1.7	7.0	1.7	13.0	2.6	115	
25–29	12.2	5.0	6.1	1.7	13.8	6.1	181	
30–34	13.8	2.7	5.7	0.8	16.5	3.1	261	
35–39	16.5	5.5	5.5	1.6	18.1	5.9	254	
40–44	11.8	2.4	4.7	0.9	14.2	2.8	212	
45–49	11.9	1.3	8.9	1.3	15.6	2.2	225	
Current partnership status								
Currently married	12.5	3.3	4.7	1.0	14.2	3.7	946	
Living with man, not married	§	§	§	§	§	§	12	
Regular partner, living apart	13.1	2.6	5.9	0.7	14.4	2.6	153	
Currently no partner, divorced/separated	14.5	1.8	15.8	4.2	22.4	4.8	165	
Educational level								
Secondary education	13.3	2.5	5.9	1.5	15.2	3.6	473	
Higher education	12.7	3.5	6.4	1.2	15.4	4.0	803	
All women	12.9	3.1	6.2	1.3	15.4	3.8	1276	

Appendix Table 3 continued

(g) Namibia city

	Physica	al violence	Sexual	violence	,	l or sexual e, or both	Total no. of
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women
Age group (years)							
15–19	31.3	20.0	21.3	16.3	42.5	27.5	80
20–24	30.0	22.5	17.9	10.4	35.8	25.8	240
25–29	27.0	11.4	14.5	6.6	32.5	14.9	289
30–34	29.3	14.7	14.3	8.7	34.3	18.5	265
35–39	31.8	16.5	18.3	11.1	35.7	20.0	235
40–44	31.2	13.0	14.3	5.2	36.4	14.9	154
45–49	41.3	16.3	19.2	9.6	44.2	19.2	104
Current partnership status							
Currently married	21.9	11.5	12.8	7.3	25.8	13.7	423
Living with man, not married	39.2	22.6	16.0	8.7	42.0	25.3	288
Regular partner, living apart	27.6	15.2	19.2	11.5	36.2	21.3	442
Currently no partner, divorced/separated	44.1	18.6	19.7	8.5	48.9	20.2	188
Currently no partner, widowed	30.8	7.7	11.5	3.8	34.6	11.5	26
Educational level							
No education	36.8	22.8	5.3	5.3	36.8	22.8	57
Primary education	36.3	18.4	15.9	10.2	39.6	21.6	245
Secondary education	30.8	17.5	19.0	10.3	37.7	22.0	823
Higher education	22.8	6.6	11.2	4.6	26.1	7.9	241
All women	30.6	15.9	16.5	9.1	35.9	19.5	1367

(h) Peru city

	Physica	al violence	Sexual	violence	•	l or sexual e, or both	_ Total no. of
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women
Age group (years)							
15–19	46.4	33.9	23.2	19.6	53.6	41.1	56
20–24	46.7	25.7	18.4	8.6	50.0	27.6	152
25–29	52.4	20.9	24.6	8.0	55.1	22.5	187
30–34	46.7	17.5	19.2	7.4	49.3	19.7	229
35–39	51.1	8.0	24.3	4.0	51.1	9.7	176
40–44	52.1	18.8	23.6	4.9	54.2	19.4	144
45–49	43.0	4.2	26.1	4.9	46.5	7.7	142
Current partnership status							
Currently married	41.3	11.0	17.1	5.0	43.5	13.5	480
Living with man, not married	63.2	25.3	25.6	7.2	64.1	26.0	304
Regular partner, living apart	44.2	20.2	21.7	10.9	45.7	22.5	129
Currently no partner, divorced/separated	47.8	17.6	34.6	10.7	55.3	22.0	159
Currently no partner, widowed	§	§	§	§	§	§	13
Educational level							
No education	§	§	§	§	§	§	9
Primary education	58.6	12.5	28.3	5.9	61.2	15.8	152
Secondary education	57.7	23.5	29.1	9.8	60.6	26.2	447
Higher education	36.8	12.6	14.6	5.0	39.1	14.0	478
All women	48.6	16.9	22.5	7.1	51.2	19.2	1086

(i) Peru province

	Physica	ıl violence	Sexua	l violence	•	l or sexual e, or both	Total no. of	
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever	Current ^a (%)	ever-partnered women	
Age group (years)								
15–19	41.2	30.9	35.3	27.9	60.3	48.5	68	
20–24	56.5	32.7	42.1	27.1	67.8	43.9	214	
25–29	58.1	26.5	40.9	24.0	63.9	35.5	313	
30–34	60.3	23.7	48.5	24.4	69.5	33.6	295	
35–39	63.6	25.8	50.9	24.4	71.7	34.6	283	
40_44	64.5	19.1	48.9	15.9	70.9	25.8	182	
45–49	72.I	15.6	54.7	16.8	76.0	23.5	179	
Current partnership status								
Currently married	57.3	19.6	45.3	22.1	65.7	29.6	770	
Living with man, not married	63.4	35.1	43.7	28.2	70.6	45.2	547	
Regular partner, living apart	40.5	16.7	40.5	21.4	57.1	35.7	42	
Currently no partner, divorced/separated	74.1	22.2	64.4	14.1	83.0	25.2	135	
Currently no partner, widowed	75.0	0.0	60.0	0.0	77.5	0.0	40	
Educational level								
No education	67.2	25.5	56.5	27.2	73.3	37.2	191	
Primary education	60. I	23.4	52.0	26.4	70.5	34.8	762	
Secondary education	65.0	28.9	41.4	19.8	71.4	35.9	343	
Higher education	52.9	22.7	29.4	13.0	57.6	27.3	238	
All women	61.0	24.8	46.7	22.9	69.0	34.2	1534	

(j) Sairiea							
	Physica	ıl violence	Sexual	l violence	•	l or sexual e, or both	Total no. of
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women
Age group (years)							
15–19	36.0	28.0	28.0	20.0	52.0	36.0	25
20–24	41.7	27.6	19.9	12.8	46.8	33.3	156
25–29	34.9	22.5	18.5	13.3	39.8	26.1	249
30–34	42.4	16.8	16.4	10.5	45.8	20.6	238
35–39	42.8	16.4	22.0	13.6	48.4	21.6	250
40–44	39.8	7.8	18.7	6.6	48.8	12.0	166
45–49	44.2	13.3	21.7	8.3	49.2	17.5	120
Current partnership status							
Currently married	39.9	16.1	17.9	10.3	44.3	20.1	872
Living with man, not married	42.9	25.7	21.6	14.7	50.6	32.2	245
Currently no partner, divorced/separated	38.9	16.7	31.9	15.3	51.4	20.8	72
Currently no partner, widowed	§	§	§	§	§	§	15
Educational level							
No education	§	§	§	§	§	§	5
Primary education	45.9	17.1	21.2	12.4	53.5	23.5	170
Secondary education	40.1	18.6	19.8	11.6	45.4	22.7	961
Higher education	32.4	10.3	11.8	8.8	35.3	16.2	68
All women	40.5	17.9	19.5	11.5	46.1	22.4	1204

Appendix Table 3 continued

- 10							
- 107.0	1741	Serbia	aand	Man	ten	POLO	CITY
- 10.1	الاقحادا	OCI DI			331	CO-UC	

	Physica	ıl violence	Sexua	violence	Physical or sexual violence, or both		Total no. of
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women
Age group (years)							
15–19	20.0	14.3	5.7	2.9	20.0	14.3	35
20–24	18.9	6.1	3.6	0.6	18.9	6.1	164
25–29	16.7	2.3	4.6	0.0	18.5	2.3	173
30–34	24.9	3.2	9.7	1.6	25.9	4.3	185
35–39	22.6	2.6	6.2	1.0	23.7	3.1	194
40–44	24.6	1.4	4.3	1.9	26.1	2.4	207
45–49	27.3	2.2	8.6	0.9	27.7	2.6	231
Current partnership status							
Currently married	19.0	1.7	3.9	1.2	20.2	2.5	752
Living with man, not married	27.1	10.0	8.6	1.4	28.6	10.0	70
Regular partner, living apart	20.1	2.8	6.7	0.0	20.5	2.8	254
Currently no partner, divorced/separated	55.1	11.2	20.4	3.1	55.1	11.2	98
Currently no partner, widowed	§	§	§	§	§	§	15
Educational level							
Primary education	28.6	0.0	4.8	0.0	33.3	0.0	21
Secondary education	27.1	4.4	7.8	1.5	27.7	4.9	549
Higher education	18.7	2.3	5.0	0.8	19.9	2.7	619
All women	22.8	3.2	6.3	1.1	23.7	3.7	1189

(I) Thailand city

	Physical violence		Sexual violence		Physical or sexual violence, or both		_ Total no. of
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women
Age group (years)							
15–19	29.6	25.9	29.6	29.6	48.1	44.4	27
20–24	23.7	12.4	34.0	22.7	44.3	29.9	97
25–29	24.2	10.8	35.7	21.0	46.5	27.4	157
30–34	23.9	7.7	30.9	18.1	42.1	21.6	259
35–39	22.1	5.6	28.4	17.5	41.2	19.6	194
40–44	20.2	7.7	26.8	14.2	36.6	19.1	183
45–49	22.1	1.5	24.4	6.9	35.1	7.6	131
Current partnership status							
Currently married	19.2	7.4	28.1	16.6	37.8	21.0	794
Living with man, not married	33.6	14.7	35.3	27.6	48.3	34.5	116
Regular partner, living apart	13.2	2.6	39.5	26.3	42.1	26.3	38
Currently no partner, divorced/separated	47. I	6.9	35.6	5.7	63.2	6.9	87
Currently no partner, widowed	§	§	§	§	§	§	13
Educational level							
No education	28.6	14.3	38.1	33.3	38.1	33.3	21
Primary education	29.1	9.4	28.8	15.5	43.6	19.8	445
Secondary education	23.6	8.8	30.8	17.8	42.9	23.9	331
Higher education	10.4	3.6	29.9	17.5	34.7	19.5	251
All women	22.9	7.9	29.9	17.1	41.1	21.3	1048

Appendix Table 3

(m) Thailand province

	Physica	ıl violence	Sexua	l violence	•	l or sexual e, or both	Total no. of
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women
Age group (years)							
15–19	39.3	32.1	28.6	25.0	50.0	39.3	28
20–24	36.9	22.6	34.5	21.4	52.4	31.0	84
25–29	31.6	11.3	27.8	17.3	45.9	22.6	133
30–34	30.3	14.9	24.0	12.6	39.4	21.1	175
35–39	37.2	14.8	31.8	16.6	54.3	26.5	223
40–44	33.3	6.5	29.0	13.4	47.8	17.7	186
45–49	32.8	11.8	28.2	14.4	44.6	20.0	195
Current partnership status							
Currently married	30.7	11.8	27.4	15.9	44.7	22.3	828
Living with man, not married	52.1	24.5	28.7	19.1	62.8	36.2	94
Regular partner, living apart	§	§	§	§	§	§	15
Currently no partner, divorced/separated	52.6	19.3	47.4	14.0	64.9	19.3	57
Currently no partner, widowed	23.3	3.3	30.0	0.0	36.7	3.3	30
Educational level							
No education	43.5	19.6	30.4	17.4	52.2	28.3	46
Primary education	37.3	14.2	30.9	16.5	50.9	24.3	705
Secondary education	27.3	11.8	24.8	14.3	42.2	21.1	161
Higher education	16.4	7.3	20.9	10.9	30.0	14.5	110
All women	33.8	13.4	28.9	15.6	47.4	22.9	1024

(n) United Republic of Tanzania city

	Physica	ıl violence	Sexual	l violence	•	or sexual e, or both	Total no. of
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women
Age group (years)							
15–19	21.8	16.1	16.1	11.3	29.8	22.6	124
20–24	29.0	21.9	22.6	16.8	39.4	30.3	297
25–29	36.4	19.0	26.2	15.4	45.5	25.6	332
30–34	37.4	13.9	26.1	12.6	44.3	20.0	230
35–39	36.0	10.2	23.7	12.9	46.2	19.4	186
40–44	32.1	6.9	21.4	8.8	39.6	13.2	159
45–49	30.9	2.7	17.3	2.7	34.5	3.6	110
Current partnership status							
Currently married	28.9	12.2	20.5	12.4	36.7	19.1	828
Living with man, not married	46.0	25.4	25.0	14.3	53.6	31.3	252
Regular partner, living apart	29.1	15.5	23.5	13.9	39.4	23.5	251
Currently no partner, divorced/separated	47.8	11.6	40.6	14.5	58.0	18.8	69
Currently no partner, widowed	31.7	2.4	26.8	2.4	43.9	2.4	41
Educational level							
No education	27.4	11.1	12.6	6.3	33.7	14.2	190
Primary education	36.3	16.6	26.2	15.1	45.0	24.1	921
Secondary education	27.3	12.6	21.3	10.8	36.7	19.9	286
Higher education	22.2	6.7	11.1	6.7	28.9	8.9	45
All women	32.9	14.8	23.0	12.8	41.3	21.5	1442

Appendix Table 3 continued

(o) United Republic of Tanzania

	Physica	al violence	Sexual	l violence	,	l or sexual e, or both	Total no. of
Demographic characteristics	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnere women
Age group (years)							
15–19	29.2	25.5	31.1	23.6	44.3	36.8	106
20–24	39.3	22.5	30.5	20.2	48.9	32.1	262
25–29	46.6	20.9	33.7	22.1	58.0	34.0	326
30–34	52.9	19.2	28.8	16.8	62.0	28.8	208
35–39	52.1	14.1	30.1	14.1	56.4	21.5	163
40–44	51.3	7.6	27.7	12.6	58.8	17.6	119
45–49	60.6	12.7	29.6	9.9	64.8	21.1	71
Current partnership status							
Currently married	44.3	18.5	30.2	18.6	53.2	29.0	693
Living with man, not married	53.0	24.9	31.8	23.2	62.2	38.1	349
Regular partner, living apart	28.4	10.8	31.1	18.9	43.2	24.3	74
Currently no partner, divorced/separated	65.6	19.7	39.3	9.8	77.0	21.3	61
Currently no partner, widowed	42.9	0.0	24.7	0.0	48.1	0.0	77
Educational level							
No education	55.9	19.9	30.1	17.3	63.4	30.7	306
Primary education	44.5	18.8	31.0	18.4	53.9	28.8	852
Secondary education	37.5	14.6	31.3	20.8	51.0	27.1	96
Higher education	§	§	§	§	§	§	2
All women	46.7	18.7	30.7	18.3	55.9	29.1	1256

^{§,} Percentage based on fewer than 20 respondents suppressed.

a At least one act of physical or sexual violence during the 12 months preceding the interview.

Appendix Table 4 Percentage of ever-partnered women who have experienced different acts of physical violence by an intimate partner, by site

	Slapped or t	hrew something	Pushed	or shoved	Hit with fist o	r something else	Kicked o	or dragged	Choked	l or burnt	Threatened wit	h or used weapon	Total no. of
Site	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	 Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	Ever (%)	Current ^a (%)	ever-partnered women
Bangladesh city	38.5	17.2	22.7	12.2	15.5	7.9	13.8	6.4	5.7	3.3	1.9	0.8	1373
Bangladesh province	39.6	14.1	25.2	10.7	15.1	6.5	14.7	5.9	5.9	2.8	4.0	2.0	1329
Brazil city	19.5	3.9	22.6	7.3	11.1	2.0	7.1	1.5	3.1	0.6	6.9	1.3	940
Brazil province	24.5	9.1	25.7	10.2	13.4	4.9	9.6	3.1	2.8	0.8	12.4	3.5	1188
Ethiopia province	41.3	23.3	24.4	15.3	16.7	9.3	29.2	14.7	1.7	1.1	1.6	0.7	2261
Japan city	9.2	1.4	8.6	2.7	2.2	0.2	2.7	0.4	0.2	0.0	0.5	0.1	1277
Namibia city	24.1	11.9	17.3	9.5	16.2	7.8	10.6	5.7	4.0	2.3	6.9	3.3	1369
Peru city	39.0	11.8	36.1	11.9	21.4	6.2	15.5	4.5	4.9	1.1	4.8	0.7	1086
Peru province	52.2	19.3	44.8	16.7	42.4	15.5	39.8	14.9	12.5	4.5	10.0	3.0	1535
Samoa	37.0	15.0	9.6	5.1	20.8	10.0	11.5	6.1	1.2	0.7	4.5	2.8	1204
Serbia and Montenegro city	17.8	2.4	15.9	2.4	5.9	0.9	5.4	0.8	1.4	0.2	2.9	0.5	1191
Thailand city	15.3	4.8	16.0	5.8	8.3	3.0	7.7	2.5	4.1	1.2	4.5	1.9	1049
Thailand province	22.9	9.7	19.5	8.0	9.4	4.2	10.0	4.1	5.1	2.8	6.5	3.2	1024
United Republic of Tanzania city	29.1	12.3	16.2	6.8	12.8	5.2	10.1	4.3	3.2	1.3	4.0	1.5	1442
United Republic of Tanzania province	41.8	14.7	23.9	9.8	19.5	7.2	14.7	5.8	5.4	2.2	5.7	1.6	1256

^a At least one act of physical violence during the 12 months preceding the interview.

Appendix Table 5 Severity^a and timing^b of physical violence against ever-partnered women by an intimate partner, by site

		Lifetime prevalence of violence		Current	violence	Former	violence	Total no. of
Site	All physical (%)	Moderate (%)	Severe (%)	Moderate (%)	Severe (%)	Moderate (%)	Severe (%)	ever-partnered women
Bangladesh city	39.7	21.0	18.7	8.7	10.3	12.2	8.4	1373
Bangladesh province	41.7	22.3	19.4	6.5	9.3	15.8	10.1	1329
Brazil city	27.2	11.7	15.5	5.0	3.3	6.7	12.2	940
Brazil province	33.8	13.7	20.0	5.4	7.5	8.3	12.5	1188
Ethiopia province	48.7	13.3	35.4	7.4	21.6	5.9	13.8	2261
Japan city	12.9	9.2	3.8	2.4	0.7	6.7	3.1	1277
Namibia city	30.6	10.5	19.9	5.3	10.6	5.3	9.3	1369
Peru city	48.6	23.1	25.5	7.4	9.6	15.7	15.9	1086
Peru province	61.0	12.0	49.0	3.8	21.0	8.2	28.0	1535
Samoa	40.5	16.7	23.8	5.6	12.3	11.0	11.5	1204
Serbia and Montenegro city	22.8	14.7	8.1	1.6	1.6	13.1	6.5	1191
Thailand city	22.9	10.3	12.6	2.8	5.1	7.5	7.4	1049
Thailand province	33.8	15.8	18.0	5.1	8.3	10.7	9.7	1024
United Republic of Tanzania city	32.9	16.3	16.5	6.4	8.3	9.9	8.3	1442
United Republic of Tanzania province	46.7	21.8	24.7	8.0	10.7	13.8	14.0	1256

Women are considered to have suffered severe violence if they have experienced at least one of the following acts: being hit with a fist or something else, kicked, dragged, beaten up, choked, burnt on purpose, threatened with a weapon or had a weapon used against them. Severe violence may also include moderate acts. Women are considered to have suffered moderate violence if they have only been slapped, pushed, shoved or had something thrown at them. Moderate violence excludes any of the acts categorized as severe violence.
 Current violence refers to violence which took place during the 12 months preceding the interview. Former violence refers to violence experienced prior to the 12 months preceding the interview. If violence took place both during the past 12 months and prior to the past 12 months, it is categorized as current violence.

Appendix Table 6 Different acts of physical violence against women by an intimate partner in the 12 months preceding the interview: prevalence of each act among ever-partnered women, and the frequency distribution of number of times women experienced that particular act, by site

	somethi	or threw ng in the months	an	uency of act nong those slapped	sł	Pushed hoved in st 12 m	the	act am	ency of ong those or shoved	somethi	h a fist or ing else in I months	amo w	uency on those ith fist nething	se hit or		or dragg	•	am	uency o	ose	Choked o		amon	quency g those or burr	choked	Threate had weap against t past 12 i	oon used them in	ar tl or l	uency on mong the mreaten had wea against	nose ned	
Site	n	(%)	Once (%)	A few Many times times (%) (%)		n	(%)	Once ti	few Many mes times %) (%)	n	(%)	Once (%)	A few times (%)	Many times (%)	n	(%				Many times (%)	n	(%)	Once (%)		Many times (%)	n	(%)	Once (%)	A few times (%)	Many times (%)	Total no. of ever-partnered women
Bangladesh city	236	17.2	19.9	45.8 34.3		167	12.2		3.5 43.1	109	7.9	11.0	48.6	. ,	88	6.			42.0	43.2	45	3.3	28.9	26.7	44.4	11	0.8	§	§	§	1373
Bangladesh province	187	14.1	22.5	41.7 35.8		142	10.7	19.7 4	3.0 37.3	87	6.5	13.8	52.9	33.3	79	5.	.9	17.7	44.3	38.0	37	2.8	35.1	32.4	32.4	26	2.0	30.8	50.0	19.2	1329
Brazil city	37	3.9	40.5	37.8 21.6		69	7.3	43.5 4	3.5 13.0	19	2.0	§	§	§	14	1.	.5	§	§	§	6	0.6	§	§	§	12	1.3	§	§	§	940
Brazil province	108	9.1	35.2	33.3 31.5		121	10.2	33.9 4	1.3 24.8	58	4.9	34.5	36.2	29.3	37	3.	.1	24.3	45.9	29.7	9	0.8	§	§	§	42	3.5	33.3	28.6	38.1	1188
Ethiopia province	526	23.3	28.3	44.7 27.0	3	347	15.3	31.7 4	4.7 23.6	211	9.3	26.1	44.5	29.4	333	14.	.7	35.1	36.3	28.5	26	1.1	38.5	46.2	15.4	16	0.7	§	§	§	2261
Japan city	18	1.4	§	§ §		34	2.7	41.2 5	5.9 2.9	3	0.2	§	§	§	5	0	.4	§	§	§	2	0.0	§	§	§	1	0.1	§	§	§	1277
Namibia city	162	11.9	32.1	43.8 24.1		130	9.5	23.1 4	5.9 30.0	106	7.8	24.5	41.5	34.0	78	5.	.7	28.2	35.9	35.9	31	2.3	19.4	41.9	38.7	45	3.3	51.1	17.8	31.1	1369
Peru city	128	11.8	35.2	53.1 11.7		129	11.9	34.4 4	9.2 16.4	68	6.2	40.3	43.3	16.4	49	4.	.5	40.8	42.9	16.3	12	1.1	§	§	§	8	0.7	§	§	§	1086
Peru province	296	19.3	18.6	56.1 25.3	2	256	16.7	18.4 5	2.9 28.6	238	15.5	17.2	56.3	26.5	229	14	.9	18.8	53.3	27.9	69	4.5	34.8	39.1	26.1	46	3.0	28.3	32.6	39.1	1535
Samoa	180	15.0	36.1	36.1 27.8		62	5.1	25.8 3	5.5 38.7	120	10.0	32.5	30.8	36.7	73	6	.1	30.1	30.1	39.7	9	0.7	§	§	§	34	2.8	35.3	17.6	47.1	1204
Serbia and Montenegro city	29	2.4	31.0	41.4 27.6		29	2.4	44.8 3	1.0 24.1	11	0.9	§	§	§	10	0.	.8	§	§	§	2	0.2	§	§	§	6	0.5	§	§	§	1191
Thailand city	50	4.8	36.0	30.0 34.0		61	5.8	44.3 4	1.0 14.8	31	3.0	29.0	41.9	29.0	26	2	.5	30.8	46.2	23.1	13	1.2	§	§	§	20	1.9	40.0	40.0	20.0	1049
Thailand province	99	9.7	38.4	42.4 19.2		82	8.0	30.5 3	4.1 35.4	43	4.2	18.6	48.8	32.6	42	4.	.1	16.7	45.2	38.1	29	2.8	37.9	24.1	37.9	33	3.2	30.3	36.4	33.3	1024
United Republic of Tanzania city	177	12.3	43.6	39.7 16.8		98	6.8	33.3 4	3.4 23.2	75	5.2	36.0	41.3	22.7	62	4.	.3	42.9	34.9	22.2	18	1.3	§	§	§	22	1.5	63.6	18.2	18.2	1442
United Republic of Tanzania province	184	14.7	32.6	43.5 23.9		122	9.8	27.9 4	0.2 32.0	90	7.2	38.5	36.3	25.3	72	5.	.8	36.1	31.9	31.9	27	2.2	44.4	25.9	29.6	20	1.6	40.0	25.0	35.0	1256

^{§,} Percentage based on fewer than 20 respondents suppressed.

Appendix Table 7

Different acts of emotionally abusive behaviour towards women by an intimate partner in the 12 months preceding the interview: prevalence of each act among ever-partnered women and the frequency distribution of number of times women experienced that particular act, by site

		d in the months	Freq	quency of act a	•	Humiliated in the past	or belittled 12 months		ncy of act an	•	Scared or in the past			quency of act a scared or inti	•	Threatened in the past			quency of act a threatened wi	•	Total no. of
Site	n	(%)	Once (%)	A few times (%)	Many times (%)	n	(%)	Once (%)	A few times (%)	Many times (%)	n	(%)	Once (%)	A few times (%)	Many times (%)	n	(%)	Once (%)	A few times (%)	Many times (%)	ever-partnered women
Bangladesh city	309	22.5	6.5	54.4	39.2	251	18.3	4.4	49.8	45.8	200	14.6	6.0	48.0	46.0	47	3.4	14.9	40.4	44.7	1373
Bangladesh province	171	12.9	5.3	58.5	36.3	130	9.8	6.9	59.2	33.8	145	10.9	9.0	60.7	30.3	33	2.5	15.2	48.5	36.4	1329
Brazil city	128	13.6	15.6	49.2	35.2	62	6.6	21.0	38.7	40.3	87	9.2	28.7	35.6	35.6	59	6.3	28.8	49.2	22.0	940
Brazil province	202	17.0	15.8	44.1	40. I	141	11.9	19.9	41.1	39.0	153	12.9	18.3	47.1	34.6	112	9.4	20.5	40.2	39.3	1188
Ethiopia province	1255	55.5	17.9	48.8	33.2	203	9.0	19.7	39.9	40.4	354	15.7	19.8	49.7	30.5	61	2.7	29.5	39.3	31.1	2261
Japan city	136	10.6	34.6	53.7	11.8	45	3.5	35.6	48.9	15.6	96	7.5	40.6	49.0	10.4	7	0.5	§	§	§	1278
Namibia city	218	16.3	21.9	49.8	28.3	117	8.7	19.5	48.3	32.2	91	6.8	18.7	42.9	38.5	67	4.9	25.4	35.8	38.8	1373
Peru city	285	26.3	16.5	54.4	29.1	108	9.9	20.4	40.7	38.9	140	12.9	15.7	55.7	28.6	71	6.5	22.5	52.1	25.4	1090
Peru province	584	38.1	7.0	61.0	32.0	284	18.5	10.2	56.3	33.5	287	18.7	11.8	59.9	28.2	222	14.5	17.6	51.4	31.1	1536
Samoa	114	9.5	36.0	29.8	34.2	45	3.7	17.8	33.3	48.9	70	5.8	25.7	30.0	44.3	45	3.7	26.7	22.2	51.1	1206
Serbia and Montenegro city	113	9.6	21.9	60.5	17.5	36	3.1	18.9	51.4	29.7	52	4.5	20.8	56.6	22.6	28	2.4	21.4	46.4	32.1	1194
Thailand city	124	11.8	11.4	44.7	43.9	82	7.9	17.1	46.3	36.6	120	11.5	16.7	48.3	35.0	51	4.9	23.5	45.1	31.4	1051
Thailand province	119	11.7	19.3	42.0	38.7	81	8.0	16.0	46.9	37.0	146	14.4	21.2	45.2	33.6	56	5.5	16.1	44.6	39.3	1027
United Republic of Tanzania city	286	20.3	23.1	53.5	23.4	109	7.7	19.3	49.5	31.2	174	12.3	24.1	50.6	25.3	93	6.5	36.6	34.4	29.0	1454
United Republic of Tanzania province	357	28.5	18.8	51.5	29.7	102	8.2	17.6	45.1	37.3	170	13.6	15.3	56.5	28.2	80	6.5	28.8	50.0	21.3	1258

^{§,} Percentage based on fewer than 20 respondents suppressed.

Appendix Table 8 Controlling behaviours by an intimate partner: frequency distribution of the number of acts of controlling behaviour reported by ever-partnered women, according to their experience of physical or sexual violence, or both, by site

		No. o	of acts of con	trolling beha	viour		Total no. of
Site	Experience of violence	None (%)	l (%)	2 or 3 (%)	4 or more (%)	_	ever-partnered women
Bangladesh city	Never experienced violence	65.6	23.9	9.2	1.3		640
	Ever experienced violence	35.1	25.1	24.3	15.6	****	733
Bangladesh province	Never experienced violence	37.1	34.8	21.4	6.7		509
	Ever experienced violence	24.3	29.3	31.3	15.1	****	820
Brazil city	Never experienced violence	51.5	19.0	22.9	6.6		668
	Ever experienced violence	23.2	17.6	26.1	33.1	****	272
Brazil province	Never experienced violence	50.9	22.0	19.2	7.9		750
	Ever experienced violence	22.1	19.4	22.6	35.8	****	438
Ethiopia province	Never experienced violence	51.6	19.4	26.1	2.9		659
	Ever experienced violence	37.2	21.8	31.8	9.2	****	1602
Japan city	Never experienced violence	82.5	12.2	4.7	0.6		1080
	Ever experienced violence	56.6	20.4	15.3	7.7	****	196
Namibia city	Never experienced violence	59.0	19.3	15.3	6.4		876
	Ever experienced violence	30.3	14.9	27.3	27.5	****	491
Peru city	Never experienced violence	44.0	29.4	20.9	5.7		530
	Ever experienced violence	18.2	21.6	30.2	30.0	****	556

Appendix Table 8

		No. o	of acts of con	trolling beha	viour		Total no. of
Site	Experience of violence	None (%)	l (%)	2 or 3 (%)	4 or more (%)	-	ever-partnered women
Peru province	Never experienced violence	36.8	25.3	30.7	7.2		475
	Ever experienced violence	16.9	12.4	30.8	39.9	****	1059
Samoa	Never experienced violence	31.4	27.3	31.0	10.3		649
	Ever experienced violence	16.6	20.2	34.8	28.5	****	555
Serbia and Montenegro city	Never experienced violence	76.3	15.5	6.6	1.5		907
	Ever experienced violence	45.0	25.9	14.9	14.2	****	282
Thailand city	Never experienced violence	53.3	26.1	15.9	4.7		617
	Ever experienced violence	25.1	22.0	34.6	18.3	****	431
Thailand province	Never experienced violence	47.7	25.4	21.9	5.0		539
	Ever experienced violence	26.0	21.0	31.3	21.6	****	485
United Republic of Tanzania city	Never experienced violence	13.0	22.5	47.9	16.7		846
	Ever experienced violence	5.2	11.1	46.5	37.2	****	596
United Republic of Tanzania province	Never experienced violence	29.1	23.8	41.0	6.1		554
	Ever experienced violence	14.5	16.0	44.6	24.9	****	702

 $Asterisks \ denote \ significance \ levels: *, P < 0.05; ***, P < 0.01; ****, P < 0.001; *****, P < 0.0001 \ (Pearson \ chi-square \ test.)$

Appendix Table 9 Perpetrators of physical violence among women reporting physical violence by non-partners since the age of 15 years, by site

	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•															
Site	Father (%)	Stepfather (%)	Male family member (%)	Female family member (%)	Teacher (%)	Police/ soldier (%)	Male friend of family (%)	Female friend of family (%)	Boyfriend (%)	Stranger (%)	Someone at work (%)	Religious leader (%)	Mother-in -law ^a (%)	Sister-in-law ^a (%)	Co-wife ^a (%)	Not identified ^b (%)	Total no. of women reporting physical violence
Bangladesh city	24.7	1.4	26.5	45.5	15.4	0.0	1.8	0.0	0.0	0.4	1.1	0.0	2.5	1.8	0.4	1.1	279
Bangladesh province	12.2	0.0	28.0	37.8	26.2	0.0	2.4	1.2	0.0	0.0	0.0	0.6	9.1	6.1	0.0	7.9	164
Brazil city	27.8	4.5	20.0	33.1	0.4	0.4	2.4	2.9	15.5	8.2	0.4	0.0	n.a.	n.a.	n.a.	7.8	245
Brazil province	25.5	4.7	17.7	36.5	0.0	0.0	1.6	2.1	4.2	6.3	0.5	0.0	n.a.	n.a.	n.a.	14.6	192
Ethiopia province	55.7	0.7	14.8	5.4	4.7	0.0	2.0	3.4	2.7	2.0	3.4	0.0	n.a.	n.a.	n.a.	14.1	149
Japan city	51.6	4.7	14.1	6.3	7.8	0.0	1.6	0.0	10.9	18.8	7.8	0.0	n.a.	n.a.	n.a.	0.0	64
Namibia city	18.8	4.2	12.8	19.4	26.0	4.2	5.6°	5.2	27.8	10.1	0.3	0.0	n.a.	n.a.	n.a.	6.3	288
Peru city	38.4	1.7	27.9	28.9	1.7	0.0	0.7	1.2	8.0	6.0	1.0	0.0	n.a.	n.a.	n.a.	10.2	401
Peru province	40.5	3.7	22.1	31.7	5.1	0.3	1.4	4.1	2.7	4.1	1.4	0.0	n.a.	n.a.	n.a.	15.2	587
Samoa	57.8	0.9	7.3	62.5	30.0	0.0	0.2	0.7	0.3	1.6	0.0	0.8	n.a.	n.a.	n.a.	0.6	1016
Serbia and Montenegro city	36.0	1.4	8.6	22.3	0.7	1.4	0.7	0.0	20.1	18.7	0.7	0.0	n.a.	n.a.	n.a.	7.9	139
Thailand city	17.9	0.9	16.2	18.8	4.3	0.0	0.9	2.6	4.3	12.8	3.4	0.0	n.a.	n.a.	n.a.	32.5	117
Thailand province	21.5	1.7	23.1	27.3	8.3	0.8	0.8	1.7	0.8	4.1	2.5	0.0	n.a.	n.a.	n.a.	24.0	121
United Republic of Tanzania city	y 14.9	0.3	10.3	7.7	59.9	0.3	0.6	2.9	6.9	4.0	0.6	0.3	n.a.	n.a.	n.a.	17.5	349
United Republic of Tanzania pro	ovince 16.1	0.0	14.3	5.7	51.7	0.0	1.3	2.2	4.3	5.2	0.0	0.4	n.a.	n.a.	n.a.	24.8	230

- n.a.,not available.

 Only in Bangladesh were in-laws and co-wives separate pre-coded response categories in the questionnaire.

 a Only in Bangladesh were in-laws and co-wives separate pre-coded response category, the second perpetrator is usually coded in this category.

 In Namibia neighbours were recorded as a separate category but are included here under male friends of family.

Appendix Table 10 Perpetrators of sexual violence among women reporting sexual violence by non-partners since the age of 15 years, by site

Site	Father (%)	Stepfather (%)	Male family member (%)	Female family member (%)	Teacher (%)	Police/soldier (%)	Male friend of family (%)	Female friend of family (%)	Boyfriend (%)	Stranger (%)	Someone at work (%)	Religious leader (%)	Not identified ^a (%)	Total no. of women reporting sexual violence
Bangladesh city	0.0	0.0	8.2	0.0	0.0	0.0	5.7	0.0	4.9	78.7	4.9	0.0	4.1	122
Bangladesh province	§	§	§	§	§	§	§	§	§	§	§	§	§	8
Brazil city	0.0	6.3	7.5	0.0	1.3	0.0	10.0	0.0	32.5	28.8	7.5	0.0	15.0	80
Brazil province	1.5	2.9	8.8	0.0	0.0	0.0	14.7	1.5	32.4	17.6	4.4	1.5	16.2	68
Ethiopia province	§	§	§	§	§	§	§	§	§	§	§	§	§	9
Japan city	0.0	0.0	2.1	0.0	4.2	0.0	6.3	0.0	22.9	60.4	16.7	0.0	2.1	48
Namibia city	0.0	1.0	5.2	0.0	2.1	0.0	9.4 ^b	0.0	55.2	24.0	0.0	0.0	5.2	96
Peru city	1.4	2.1	11.7	0.7	0.7	1.4	8.3	0.0	31.7	28.3	1.4	0.0	24.1	145
Peru province	0.0	1.0	7.7	1.0	2.9	0.0	8.7	0.0	30.9	26.1	5.3	0.0	24.2	207
Samoa	1.1	0.0	8.0	1.1	4.0	0.6	6.3	0.0	46.0	23.6	2.3	0.0	7.5	174
Serbia and Montenegro city	1.8	0.0	1.8	0.0	1.8	0.0	3.6	0.0	32.1	42.9	3.6	0.0	17.9	56
Thailand city	0.0	0.0	2.1	0.0	0.0	2.1	9.6	0.0	17.0	44.7	6.4	0.0	24.5	94
Thailand province	0.0	3.0	9.1	0.0	6.1	3.0	3.0	0.0	21.2	15.2	6.1	0.0	39.4	33
United Republic of Tanzania city	0.0	0.0	11.0	0.5	2.4	2.4	6.7	1.4	40.2	22.5	0.5	0.0	22.0	209
United Republic of Tanzania province	0.7	1.5	2.2	0.0	4.4	3.0	8.9	1.5	28.9	23.7	3.0	0.0	27.4	135

- §, Percentage based on fewer than 20 respondents suppressed.
 a If a woman experienced violence by more than one perpetrator in the same category, the second perpetrator is usually coded in this category.
 b In Namibia neighbours were recorded as a separate category but are included here under male friend of family.

Appendix Table 11 Perpetrators of childhood sexual abuse among women reporting sexual abuse before the age of 15 years, by site

7	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,													
Site	Father (%)	Stepfather (%)	Male family member (%)	Female family member (%)	Teacher (%)	Police/soldier (%)	Male friend of family (%)	Female friend of family (%)	Boyfriend (%)	Stranger (%)	Someone at work (%)	Religious leader (%)	Not identified ^a (%)	Total no. of women reporting sexual abuse before age I 5 years
Bangladesh city	0.0	0.0	10.9	0.0	2.5	0.0	10.9	0.0	0.8	69.7	0.8	0.0	5.9	119
Bangladesh province	§	§	§	§	§	§	§	§	§	§	§	§	§	16
Brazil city	7.6	8.7	50.0	2.2	0.0	0.0	7.6	2.2	2.2	8.7	1.1	1.1	14.1	92
Brazil province	1.2	9.4	41.2	3.5	0.0	0.0	18.8	2.4	7.1	12.9	2.4	0.0	11.8	85
Ethiopia province	§	§	§	§	§	§	§	§	§	§	§	§	§	7
Japan city	0.8	2.3	6.1	0.8	5.3	0.8	6.9	0.0	8.4	68.7	0.0	0.0	5.3	131
Namibia city	5.5	4.1	32.9	5.5	2.7	0.0	19.2 ^b	2.7	12.3	16.4	0.0	0.0	4.1	73
Peru city	3.6	6.5	43.5	2.5	2.2	0.4	12.7	0.0	1.4	24.6	0.0	0.7	19.2	276
Peru province	1.4	3.4	36.6	0.0	0.0	0.0	11.0	0.7	8.3	22.8	0.0	0.0	24.1	145
Samoa	0.0	3.3	16.7	3.3	3.3	0.0	6.7	0.0	23.3	33.3	0.0	0.0	16.7	30
Serbia and Montenegro city	3.6	3.6	21.4	0.0	0.0	0.0	10.7	3.6	10.7	39.3	0.0	0.0	10.7	28
Thailand city	0.0	0.9	6.8	0.0	1.7	0.0	8.5	0.9	0.9	58.1	0.9	0.0	24.8	117
Thailand province	0.0	5.0	15.0	1.7	1.7	0.0	6.7	0.0	1.7	30.0	1.7	0.0	38.3	60
United Republic of Tanzania city	0.0	0.0	22.8	5.1	6.3	0.0	8.9	2.5	11.4	13.9	0.0	0.0	32.9	79
United Republic of Tanzania province	1.7	0.0	13.3	3.3	3.3	0.0	13.3	0.0	23.3	18.3	1.7	0.0	28.3	60

- §, Percentage based on fewer than 20 respondents suppressed.
 a If a woman experienced violence by more than one perpetrator in the same category, the second perpetrator is usually coded in this category.
 b In Namibia neighbours were recorded as a separate category but are included here under male friends of family.

Appendix Table 12 Logistic regression models for the associations between selected health conditions and experience of intimate partner violence among ever-partnered women, by site^a

	Poor/very p	poor health	Problems	with walking	Problems with	daily activities	Pa	ain	Problems w	ith memory	Dizz	ziness	Vaginal d	discharge
Site	COR 95% CI	AOR 95% CI	COR 95% CI	AOR 95% CI	COR 95% CI	AOR 95% CI	COR 95% CI	AOR 95% CI	COR 95% CI	AOR 95% CI	COR 95% CI	AOR 95% CI	COR 95% CI	AOR 95% CI
Bangladesh city	1.7 1.2–2.2	1.4 1.0-1.9	1.5 1.1-1.9	1.4 1.0-1.8	1.5 1.2–2.0	1.5 1.1-1.9	1.6 1.3-2.0	1.6 1.2-2.0	1.8 1.3-2.4	1.8 1.3–2.5	2.3 1.8–2.8	1.9 1.5–2.4	2.7 2.1-3.4	2.0 1.6–2.6
Bangladesh province	1.4 1.0-1.8	1.3 1.0-1.7	1.5 1.1-1.9	1.4 1.1-1.8	1.4 1.1–1.8	1.3 1.0-1.7	1.6 1.3-2.0	1.5 1.2-1.9	1.6 1.1-2.2	1.5 1.1-2.1	1.8 1.4–2.3	1.7 1.3-2.4	1.6 1.3-2.0	1.6 1.3–2.0
Brazil city	2.4 1.3-4.3	2.0 1.1-3.7	1.4 0.9-2.2	1.3 0.8–2.1	1.8 1.2–2.7	1.8 1.1-2.7	2.0 1.5-2.6	1.9 1.4-2.6	2.3 1.6-3.5	2.3 1.5-3.6	1.9 1.4–2.6	2.2 1.6-3.0	1.3 0.9-1.8	1.5 1.1-2.1
Brazil province	2.3 1.7–3.1	1.8 1.3–2.4	1.6 1.2–2.2	1.5 1.1-2.1	2.0 1.5–2.7	1.8 1.3-2.4	1.9 1.5–2.5	1.8 1.4–2.3	2.3 1.6-3.3	2.1 1.4–3.1	1.9 1.5–2.4	1.7 1.3-2.2	1.8 1.4–2.3	1.9 1.5–2.6
Ethiopia province	2.0 1.0-3.9	2.0 1.0-3.9	1.5 0.3-7.2	1.4 0.3-7.0	n.a. n.a.	n.a. n.a.	1.1 0.8-1.3	1.1 0.9-1.4	2.8 0.6-12.3	2.8 0.6-12.4	1.1 0.6–1.8	1.1 0.6-1.8	2.0 1.1-3.7	2.0 1.1-3.6
Japan city	1.9 1.0-3.9	1.9 0.9-4.0	1.4 0.7–2.8	1.4 0.7-2.8	1.8 1.1-2.8	1.7 1.1-2.7	1.5 1.0-2.5	1.5 0.9-2.4	2.3 1.5-3.7	2.3 1.5-3.8	1.8 1.2–2.6	1.8 1.2–2.6	1.5 0.8–2.9	1.6 0.9–3.1
Namibia city	2.3 1.3-3.9	2.1 1.2-3.6	2.5 1.7-3.8	2.6 1.7-3.9	2.4 1.5–3.7	2.6 1.6-4.0	2.0 1.4-2.8	2.0 1.4-2.9	2.6 1.7-4.0	2.4 1.6-3.7	2.2 1.7–2.9	2.1 1.6-2.8	1.6 1.2-2.3	1.6 1.1-2.2
Peru city	2.1 1.3–3.5	1.9 1.1-3.2	2.6 1.7-3.8	2.7 1.8-4.0	1.8 1.3–2.4	1.9 1.3-2.6	1.9 1.4–2.4	1.9 1.5-2.5	1.7 1.2-2.4	1.8 1.2–2.5	1.7 1.3–2.2	1.6 1.2–2.1	1.8 1.4–2.3	1.7 1.3–2.2
Peru province	1.9 1.4–2.6	1.6 1.2-2.3	2.0 1.5-2.7	2.0 1.5-2.7	2.4 1.8-3.3	2.4 1.8-3.3	1.5 1.2-1.9	1.5 1.2-1.9	1.9 1.4-2.4	1.7 1.3-2.3	1.7 1.3–2.1	1.6 1.3-2.0	1.7 1.4–2.1	1.8 1.4–2.2
Samoa	0.7 0.3-1.7	0.6 0.2-1.6	1.2 0.7-1.8	1.1 0.7-1.8	1.3 0.8–2.1	1.3 0.8-2.0	1.5 1.1-1.9	1.4 1.1-1.9	1.1 0.6-1.9	1.0 0.6-1.8	1.6 1.3–2.0	1.6 1.2–2.0	2.8 1.3–5.9	2.6 1.2–5.5
Serbia and Montenegro city	2.5 1.4-4.3	2.0 1.1-3.6	1.8 1.2-2.6	1.5 1.0-2.2	1.9 1.3–2.9	1.7 1.1-2.6	1.7 1.3-2.2	1.6 1.2-2.1	2.4 1.5-3.7	2.0 1.3-3.2	1.3 0.9-1.7	1.2 0.9-1.6	1.9 1.3-2.7	2.2 1.5-3.2
Thailand city	1.7 1.2–2.4	1.6 1.2–2.3	1.9 1.4–2.7	1.9 1.3–2.7	1.4 1.0-1.9	1.3 0.9-1.9	1.6 1.2-2.2	1.5 1.1-2.0	2.0 1.5-2.6	2.0 1.5-2.6	1.4 1.1–1.8	1.4 1.1-1.8	2.2 1.4–3.5	2.2 1.4–3.5
Thailand province	1.7 1.3–2.3	1.6 1.2–2.2	1.6 1.1-2.3	1.5 1.1–2.3	1.7 1.2–2.4	1.7 1.2-2.4	1.6 1.2-2.2	1.6 1.2-2.1	1.6 1.2-2.1	1.6 1.2–2.1	1.7 1.3–2.3	1.6 1.2–2.1	2.4 1.7–3.6	2.5 1.6-3.7
United Republic of Tanzania city	1.3 0.6–2.6	1.2 0.6–2.6	2.0 1.5-2.7	2.0 1.5-2.7	1.7 1.3–2.4	1.8 1.3-2.5	1.7 1.4–2.2	1.8 1.4–2.3	2.0 1.5-2.6	1.9 1.5-2.5	1.6 1.2–2.0	1.6 1.2–2.1	1.6 1.1-2.4	1.6 1.1-2.3
United Republic of Tanzania province	1.8 1.1-3.2	1.6 0.9-2.9	1.1 0.8-1.5	1.0 0.7-1.4	1.3 0.9–1.7	1.1 0.8-1.6	1.4 1.1-1.9	1.3 1.0-1.7	1.3 0.9-1.8	1.3 0.9-1.8	1.9 1.4–2.5	1.9 1.4–2.5	1.9 1.3-2.8	1.9 1.3–2.8

COR, crude odds ratio; AOR, adjusted odds ratio (adjusted for age, current marital status and educational level); CI, confidence interval; n.a., data not available.

Odds ratios and 95% confidence intervals are given for the odds of health problems in ever-partnered women who have ever experienced physical or sexual violence, or both, by an intimate partner, relative to the odds of health problems in ever-partnered women who have not experienced violence (except for general health, all conditions where asked for the past 4 weeks).

Appendix Table 13 Logistic regression models for the associations between suicidal thoughts and suicidal acts, and experience of intimate partner violence among ever-partnered women, by site

		Suici	dal thoughts ^a			Sui	cidal acts ^b	
Site	COR	95% CI	AOR	95% CI	COR	95% CI	AOR	95% CI
All sites	2.4	2.2-2.6	2.9	2.7-3.2	3.5	3.0-4.1	3.8	3.3-4.5
Bangladesh city	3.5	2.5-5.0	3.5	2.4-5.1	6.6	2.8-15.6	6.3	2.6-15.5
Bangladesh province	4.2	2.6-6.7	4.0	2.5-6.5	§	§	§	§
Brazil city	3.6	2.7-4.9	3.3	2.4-4.6	3.8	2.5-6.0	3.5	2.1-5.6
Brazil province	3.3	2.5-4.3	3.0	2.2-3.9	5.1	3.1-8.4	4.3	2.5-7.1
Ethiopia province	1.6	0.9-2.6	1.6	0.9-2.6	5.1	0.7-39.6	4.8	0.6-37.2
Japan city	3.7	2.6-5.2	3.5	2.4-5.1	11.7	4.3-31.5	11.4	4.1-31.3
Namibia city	2.8	2.1 - 3.7	2.8	2.1-3.8	3.4	2.1-5.5	3.4	2.1-5.5
Peru city	3.2	2.4-4.2	3.4	2.5-4.6	4.7	3.0-7.2	4.6	2.9-7.2
Peru province	3.1	2.3-4.1	3.3	2.4-4.5	3.7	2.2-6.2	3.7	2.2-6.4
Samoa	2.0	1.4-2.9	2.0	1.4-3.0	2.5	1.3-4.8	2.6	1.3-5.0
Serbia and Montenegro city	3.8	2.6-5.5	3.4	2.3-5.1	4.7	2.1-10.7	3.1	1.3-7.6
Thailand city	3.2	2.4-4.3	3.1	2.3-4.2	3.8	2.3-6.1	3.4	2.1-5.6
Thailand province	2.6	1.9-3.4	2.4	1.8-3.3	3.0	1.7-5.3	2.8	1.5-5.0
United Republic of Tanzania city	1.9	1.3-2.8	1.9	1.3-2.9	3.2	1.0-10.5	4.0	1.2-13.8
United Republic of Tanzania province	2.9	1.8-4.6	2.7	1.7–4.4	2.8	0.6-13.4	2.2	0.4-11.1

§, insufficient cases COR, crude odds ratio; AOR, adjusted odds ratio, adjusted for age, current marital status and educational level. The all-sites odds ratios –based on a pooled data set including

all 15 sites— are adjusted for age, current marital status, educational level and site. Cl, confidence interval.

a Odds ratios and 95% confidence intervals are given for the odds of suicidal thoughts in ever-partnered women who have ever experienced physical or sexual violence, or both, by an intimate partner, relative to the odds of suicidal thoughts in ever-partnered women who have not experienced violence.

b Odds ratios and 95% confidence intervals are given for the odds of suicidal acts in ever-partnered women who have ever experienced physical or sexual violence, or both, by an intimate partner, relative to the odds of suicidal acts in ever-partnered women who have not experienced violence.

Appendix Table 14 Logistic regression models for the associations between induced abortions and miscarriages, and experience of intimate partner violence among ever-pregnant women, by site^a

		la du sa	d abortion			м	i	
_							iscarriage	
Site	COR	95% CI	AOR	95% CI	COR	95% CI	AOR	95% CI
All sites	1.3	1.2-1.4	2.4	2.1-2.7	1.2	1.1–1.3	1.4	1.3-1.5
Bangladesh city	2.1	1.5-2.9	2.5	1.8-3.6	0.9	0.7-1.3	1.0	0.8-1.4
Bangladesh province	1.9	0.9-4.3	2.1	0.9-4.8	1.2	0.8-1.7	1.1	0.8-1.6
Brazil city	2.6	1.7-4.0	2.6	1.6-4.2	1.5	1.0-2.0	1.5	1.0-2.2
Brazil province	2.4	1.3-4.3	1.7	0.9-3.3	1.5	1.1-2.0	1.3	1.0-1.8
Ethiopia province	6.1	1.5-25.8	6.2	1.4-26.9	1.2	0.9-1.6	1.2	0.9-1.6
Japan city	2.7	1.8-4.1	2.3	1.5-3.7	1.1	0.7-1.7	1.2	0.8-1.8
Namibia city	2.8	0.7-11.8	2.5	0.6-11.4	1.3	0.9-1.8	1.5	1.1-2.1
Peru city	4.0	2.4-6.8	4.0	2.3-7.0	1.6	1.2-2.1	1.7	1.3-2.3
Peru province	3.2	1.7-6.0	3.3	1.7-6.2	2.0	1.5-2.7	2.2	1.6-3.0
Samoa	1.2	0.1-18.4	1.5	0.1-26.8	2.1	1.5-3.1	2.1	1.5-3.2
Serbia and Montenegro city	2.2	1.6-3.0	2.0	1.4-2.7	1.1	0.8-1.6	1.2	0.8-1.8
Thailand city	3.0	1.8-5.0	2.9	1.7-4.9	1.0	0.7-1.4	1.0	0.7-1.5
Thailand province	3.9	1.9-8.1	3.1	1.5-6.7	1.4	1.0-1.9	1.4	1.0-2.0
United Republic of Tanzania city	1.9	1.2-2.9	1.7	1.1-2.6	1.3	1.0-1.7	1.4	1.0-1.8
United Republic of Tanzania province	1.8	1.1-3.1	2.0	1.2-3.5	1.2	0.9-1.7	1.2	0.8-1.6

COR, crude odds ratio; AOR, adjusted odds ratio, adjusted for age, current marital status and educational level. The all-sites odds ratios —based on a pooled data set including all 15 sites—are adjusted for age, current marital status, educational level and site. Cl, confidence interval.

a Odds ratios and 95% confidence intervals are given for the odds of induced abortions and miscarriages in ever-pregnant women who have ever experienced physical or sexual violence, or both, by an intimate partner, relative to the odds of these problems in ever-pregnant women who have not experienced violence.

Appendix Table 15 Percentage of ever physically abused women who told no one, someone and/or a service about their experience of intimate-partner violence, by site

Site	No one (%)	Friends (%)	Parents (%)	Brother or sister (%)	Uncle or aunt (%)	Partner's family (%)	Children (%)	Neighbours (%)	Police (%)	Doctor/ health worker (%)	Priest (%)	Counsellor (%)	NGO/ women's org. (%)	Local leader (%)	Other (%)	Total no. of women ever physically abused by a partner
Bangladesh city	65.9	2.6	17.8	15.8	2.8	7.2	0.7	10.3	0.6	1.3	0.0	0.0	0.2	0.9	0.7	545
,																
Bangladesh province	66.2	0.9	18.6	14.1	4.0	15.9	1.8	11.6	0.5	1.3	0.0	0.0	0.0	3.2	1.3	554
Brazil city	21.5	30.5	32.8	32.8	3.5	18.4	2.0	7.4	4.7	3.1	2.0	3.1	0.0	0.0	6.3	256
Brazil province	23.9	18.5	42.9	21.4	4.7	19.2	0.7	11.7	1.0	1.7	0.5	0.5	0.0	0.0	5.2	401
Ethiopia province	38.6	6.4	31.2	7.7	2.4	14.3	2.0	19.3	1.1	1.3	0.2	0.1	0.4	7.4	2.7	1101
Japan city	32.0	56.2	29.4	13.1	3.9	15.7	3.3	2.0	1.3	3.9	1.3	3.3	0.7	0.0	2.0	153
Namibia city	20.8	32.5	34.6	25.8	6.7	12.4	5.0	8.1	9.8	3.6	1.4	1.0	1.2	0.0	2.9	419
Peru city	31.1	25.9	26.1	23.7	4.9	11.6	1.7	2.5	3.0	2.1	1.7	0.4	0.2	0.0	10.4	528
Peru province	31.6	17.8	33.2	24.5	6.5	13.2	2.6	8.0	8.2	6.0	0.6	0.0	0.7	2.2	10.0	936
Samoa	53.7	11.5	25.0	7.2	1.8	9.8	0.2	4.5	1.2	1.8	1.2	0.0	0.0	0.8	0.2	488
Serbia and Montenegro city	27.3	52.8	27.7 ^a	25.8	1.8	6.3	1.8	4.4	4.8	3.7	0.7	3.0	0.4	0.0	1.8	271
Thailand city	37.1	32.9	25.0	30.4	6.7	5.4	3.3	5.8	1.3	1.7	0.4	0.0	0.0	0.0	2.1	240
Thailand province	45.7	26.9	20.8	21.4	5.2	4.3	2.9	11.3	0.3	1.4	0.0	0.0	0.0	0.3	2.0	346
United Republic of Tanzania city	28.5	13.5	34.8	19.2	6.3	29.3	1.7	12.7	6.3	4.6	3.2	0.4	0.0	8.4	5.9	474
United Republic of Tanzania province	29.7	7.2	27.3	9.4	1.5	29.4	1.4	25.4	3.4	3.6	2.9	0.3	0.0	24.9	3.9	586

NGO, nongovernmental organization. a In Serbia and Montenegro city, the figure for parents is a combination of the results for mother (27.3%) and father (12.2%).

Percentage of ever physically abused women who received offers of help from no one, someone and/or a
service in relation to their experience of intimate-partner violence, by site

Site	No one (%)	Friends (%)	Parents (%)	Brother or sister (%)	Uncle or aunt (%)	Partner's family (%)	Children (%)	Neighbours (%)	Police (%)	Doctor/health worker (%)	Priest (%)	Counsellor (%)	NGO/ women's org. (%)	Local leader (%)	Other (%)	Total no. of women ever physically abused by a partner
Bangladesh city	58.9	1.5	12.3	8.6	2.0	13.2	1.1	18.2	0.4	0.7	0.0	0.0	0.0	0.7	0.4	545
Bangladesh province	51.3	0.0	12.5	6.9	3.1	28.5	3.6	15.2	0.0	0.4	0.0	0.0	0.0	2.3	1.3	554
Brazil city	33.6	18.0	23.4	24.6	2.7	14.5	2.0	6.3	1.6	0.8	1.2	2.3	0.0	0.0	5.1	256
Brazil province	34.4	12.0	28.9	15.5	3.2	16.5	1.2	8.7	0.7	0.7	0.2	0.2	0.0	0.0	5.0	401
Ethiopia province	41.4	4.0	24.3	5.3	1.3	11.4	1.3	18.7	0.8	1.4	0.1	0.0	0.4	8.0	1.9	1101
Japan city	45.8	36.1	20.8	6.3	2.1	7.6	2.8	2.8	0.7	0.7	0.7	2.1	0.7	0.0	1.4	144
Namibia city	37.7	19.8	21.0	15.5	5.0	6.7	2.4	6.9	7.4	3.1	1.2	0.7	1.2	0.0	1.9	419
Peru city	40.7	16.9	17.6	17.6	5.9	8.9	0.9	4.2	0.9	0.8	1.7	0.0	0.2	0.0	4.7	528
Peru province	41.0	11.1	21.5	19.0	5.3	9.7	2.5	6.6	4.5	2.9	0.7	0.1	0.9	1.7	8.2	936
Samoa	48.6	9.2	18.9	7.4	2.3	16.4	1.8	5.9	0.6	0.8	1.0	0.0	0.0	0.8	1.0	488
Serbia and Montenegro city	50.6	25.1	18.8ª	14.4	1.5	3.3	1.5	1.8	2.2	1.8	0.4	1.8	0.4	0.0	0.7	271
Thailand city	43.8	12.9	14.6	13.3	2.9	17.1	7.9	7.5	1.3	0.0	0.0	0.0	0.0	0.0	3.8	240
Thailand province	41.6	7.2	14.5	17.3	5.5	13.3	9.5	9.8	0.3	0.0	0.0	0.0	0.0	0.6	2.6	346
United Republic of Tanzania city	49.8	7.2	5.9	6.5	2.1	10.1	2.3	22.2	0.8	0.8	0.4	0.0	0.0	1.9	6.5	474
United Republic of Tanzania province	51.9	1.7	3.9	2.7	0.9	12.5	2.0	25.9	0.3	0.2	1.0	0.0	0.0	7.2	4.9	586

NGO, nongovernmental organization. a In Serbia and Montenegro city, the figure for parents is a combination of the results for mother (18.1%) and father (8.1%).

Appendix Table 17
Percentage of ever physically abused women who had ever sought support from various agencies and persons in authority in relation to their experience of intimate-partner violence, by site

Site	Police (%)	Hospital/ health centre (%)	Social services (%)	Legal advice centre (%)	Court (%)	Shelter (%)	Local leader (%)	Women's org. (%)	Religious leader (%)	Women's police dept (%)	Elsewhere (%)	Gone to at least one place for help (%)	Total no. of women ever physically abused by a partner
Bangladesh city	1.5	0.2	0.4	0.7	0.4	0.0	2.4	0.9	0.4	0.0	0.9	5.1	545
Bangladesh province	0.7	0.2	0.0	0.0	0.9	0.0	5.6	0.2	0.7	0.0	0.7	6.9	554
Brazil city	17.6	13.7	5.9	14.8	12.1	2.0	2.0	0.8	15.2	13.7	3.1	44.5	256
Brazil province	10.0	11.0	0.2	3.2	3.2	0.2	0.0	0.5	5.2	0.5	0.5	21.9	401
Ethiopia province	2.3	4.4	0.2	0.4	1.3	0.0	14.6	0.8	0.5	0.0	32.7	45.2	1099
Japan city	3.3	2.0	0.7	1.3	2.0	0.7	0.7	0.7	2.6	0.0	0.7	7.2	152
Namibia city	20.9	21.8	7.5	5.6	5.8	1.9	1.5	1.9	6.1	0.0	3.4	38.3	418
Peru city	24.5	8.4	0.0	5.3	6.1	0.2	0.0	1.2	7.0	5.1	1.9	32.8	527
Peru province	25.0	16.8	0.0	5.0	12.4	1.9	3.4	2.2	2.5	3.0	1.7	36.5	936
Samoa	4.7	7.2	0.0	0.6	1.2	0.0	5.3	1.2	2.5	0.0	0.6	15.4	488
Serbia and Montenegro city	12.3	10.0	8.9	6.4	5.6	0.0	0.0	2.2	1.1	0.0	0.4	22.1	271
Thailand city	10.5	5.9	0.8	1.3	1.3	0.4	0.8	0.0	4.6	0.0	1.7	20.3	237
Thailand province	5.2	3.8	0.9	0.3	0.3	0.0	0.3	0.0	2.0	0.0	0.9	10.2	343
United Republic of Tanzania city	15.3	20.5	2.4	2.6	4.3	1.5	17.2	1.1	5.3	0.0	10.1	40.8	473
United Republic of Tanzania province	6.5	13.7	0.9	2.2	3.8	0.2	30.9	0.3	5.1	0.0	5.0	41.2	585

Appendix Table 18

Reasons cited for seeking help, among ever physically abused women who had sought help from at least one agency in relation to their experience of intimate-partner violence, by site

Site	Encouraged by friends/family (%)	Could not endure more (%)	Badly injured (%)	Threatened or tried to kill her (%)	Threatened or hit children (%)	Children suffering (%)	Thrown out of home (%)	Afraid she would kill him (%)	Other reason to go for help (%)	Total no. of physically abused women who reported seeking help from at least one agency
Bangladesh city	17.9	78.6	21.4	10.7	32.1	3.6	10.7	0.0	10.7	28
Bangladesh province	15.8	84.2	31.6	2.6	36.8	5.3	18.4	0.0	7.9	38
Brazil city	10.5	49.1	14.9	8.8	3.5	10.5	1.8	1.8	33.3	114
Brazil province	20.5	36.4	33.0	4.5	3.4	2.3	2.3	1.1	19.3	88
Ethiopia province	3.6	66.8	22.7	9.5	2.0	5.6	5.2	0.4	7.0	497
Japan city	§	§	§	§	§	§	§	§	§	П
Namibia city	33.1	47.5	36.3	14.4	6.9	10.0	6.3	3.8	7.5	160
Peru city	11.6	54.9	13.9	7.5	4.0	6.9	1.7	2.3	45.7	173
Peru province	20.2	67.5	28.9	8.2	12.9	19.3	16.7	2.0	16.1	342
Samoa	5.3	65.3	26.7	6.7	1.3	6.7	1.3	1.3	8.0	75
Serbia and Montenegro city	16.7	63.3	30.0	8.3	5.0	11.7	0.0	0.0	15.0	60
Thailand city	8.3	43.8	31.3	8.3	4.2	4.2	0.0	2.1	47.9	48
Thailand province	8.6	31.4	25.7	2.9	5.7	5.7	0.0	0.0	51.4	35
United Republic of Tanzania city	5.7	58.5	23.8	9.3	3.1	6.7	7.8	2.6	30.1	193
United Republic of Tanzania province	4.6	58.9	24.5	10.0	5.0	5.0	14.5	1.7	29.5	241

^{§,} Percentage based on fewer than 20 respondents suppressed.

Appendix Table 19
Reasons cited for not seeking help, among ever physically abused women who had not sought help from any agency in relation to their experience of intimate-partner violence, by site

Site	Don't know/ no answer (%)	Fear of the consequences/ threats/violence (%)	Violence normal/ not serious (%)	Embarrassed/afraid to be blamed or not believed (%)	Believed it would not help (%)	Afraid would end relationship (%)	Afraid would lose children (%)	Bring bad name to family (%)	Other reason (%)	Total no. of women who reported not seeking help from any agency
Bangladesh city	1.9	7.4	62.9	31.3	11.6	6.6	6.6	26.9	4.3	517
Bangladesh province	1.9	12.2	56.4	42.6	10.9	7.8	5.6	36.4	3.1	516
Brazil city	6.3	12.7	40.8	8.5	5.6	3.5	2.1	0.7	33.8	142
Brazil province	3.2	18.5	51.1	9.3	2.9	7.7	1.0	1.6	21.1	313
Ethiopia province	2.8	53.0	37.4	4.0	4.3	2.7	10.6	3.2	6.3	602
Japan city	10.7	8.6	82.9	7.9	2.9	1.4	1.4	3.6	21.4	153
Namibia city	22.1	8.1	50.0	2.3	2.7	9.7	4.7	1.9	14.3	258
Peru city	5.1	6.2	31.7	15.0	2.8	3.1	2.5	6.2	53.3	353
Peru province	5.6	26.8	28.8	28.3	3.0	8.6	6.6	10.3	25.4	594
Samoa	2.2	2.9	85.7	0.0	0.2	3.1	1.9	4.8	2.7	413
Serbia and Montenegro city	9.5	3.3	68.7	4.3	1.4	4.3	1.9	6.2	10.4	211
Thailand city	7.4	1.1	55.6	4.2	3.2	0.5	1.6	2.6	36.0	189
Thailand province	6.2	3.2	59.7	8.1	2.9	0.3	1.3	5.5	28.6	308
United Republic of Tanzania city	5.7	7.5	56.1	6.4	2.5	5.7	1.4	4.3	33.9	280
United Republic of Tanzania province	6.1	7.6	47.7	12.8	2.0	10.8	2.0	6.4	35.5	344

Appendix Table 20 Reasons cited for leaving temporarily, among ever physically abused women who had left at least once because of intimate-partner violence, by site

				, i								
Site	No particular incident (%)	Encouraged by friends (%)	Could not endure more (%)	Badly injured (%)	Threatened to kill her (%)	Threatened/hit children (%)	Children suffering (%)	Thrown out of home (%)	Afraid she would kill him (%)	Encouraged by organization (%)	Other reason (%)	Total no. of women who reported having left at least once
Bangladesh city	1.8	5.5	89.0	9.2	0.9	0.9	0.9	10.1	0.0	0.0	11.9	109
Bangladesh province	1.9	2.8	89.7	15.0	2.8	3.7	4.7	12.1	0.9	0.0	4.7	107
Brazil city	2.8	5.7	48.1	11.3	8.5	3.8	7.5	2.8	1.9	0.0	45.3	106
Brazil province	2.9	4.9	57.1	12.2	12.2	3.4	1.5	7.3	1.5	0.0	17.1	205
Ethiopia province	12.2	5.1	59.8	14.3	6.0	3.0	8.3	10.7	1.2	0.0	11.6	336
Japan city	14.8	7.4	74.1	3.7	3.7	0.0	0.0	3.7	0.0	0.0	0.0	27
Namibia city	4.3	28.4	54.3	25.0	12.9	5.2	12.1	5.2	10.3	0.9	12.9	116
Peru city	2.8	2.8	60.1	11.9	18.2	4.9	11.2	9.1	0.0	0.0	37.8	143
Peru province	0.7	5.6	71.1	21.6	19.7	10.5	14.8	24.9	2.6	0.0	15.1	305
Samoa	1.4	3.6	73.4	16.5	4.3	4.3	2.2	3.6	0.0	0.0	12.2	139
Serbia and Montenegro city	14.3	9.5	63.5	11.1	7.9	4.8	4.8	3.2	0.0	0.0	7.9	63
Thailand city	9.8	2.0	55.9	4.9	5.9	2.0	1.0	4.9	2.0	0.0	42.2	102
Thailand province	13.9	1.6	43.4	6.6	2.5	0.0	2.5	8.2	0.8	0.0	46.7	122
United Republic of Tanzania city	2.3	1.8	61.4	13.5	8.8	1.8	2.3	12.9	3.5	0.0	25.1	171
United Republic of Tanzania provin	ice 1.7	6.8	66.7	20.9	6.8	3.4	1.7	17.5	0.0	0.6	26.0	177

Persons with whom and places where women stayed the last time, among physically
abused women who had left at least once because of intimate-partner violence, by site

Site	Her relatives (%)	His relatives (%)	Friends/neighbours (%)	Hotel/lodgings (%)	Street (%)	Church/temple (%)	Shelter (%)	Other (%)	Total no. of women who reported having left at least once
Bangladesh city	89.0	2.8	4.6	0.9	0.9	0.0	0.0	1.8	109
Bangladesh province	87.9	10.3	1.9	0.0	0.0	0.0	0.0	0.0	107
Brazil city	54.7	4.7	17.0	3.8	0.0	0.9	0.9	17.9	106
Brazil province	70.6	4.4	11.8	0.5	1.0	0.5	0.0	11.3	204
Ethiopia province ^a	89.6	3.6	2.1	0.0	0.0	0.0	0.0	0.0	336
Japan city	50.0	3.8	23.1	11.5	3.8	0.0	0.0	7.7	26
Namibia city	59.5	13.8	17.2	1.7	0.0	0.0	0.9	6.9	116
Peru city	84.5	0.7	8.5	0.0	0.7	0.0	0.0	5.6	142
Peru province	73.4	4.3	11.2	0.3	2.6	0.0	0.0	8.2	304
Samoa	84.2	2.9	10.1	0.0	0.0	0.7	0.0	2.2	139
Serbia and Montenegro city	74.6	4.8	14.3	1.6	0.0	0.0	0.0	3.2	63
Thailand city	60.8	5.9	23.5	4.9	0.0	0.0	0.0	4.9	102
Thailand province	72.1	4.1	14.8	2.5	0.0	0.0	0.0	6.6	122
United Republic of Tanzania city	74.9	7.6	4.7	0.6	0.0	0.0	0.0	12.3	171
United Republic of Tanzania province	59.3	15.8	4.0	4.0	0.0	0.6	0.0	16.4	177

^a In Ethiopia province 16 women (4.8%) did not mention where they stayed.

Appendix Table 22 Reasons cited for returning after leaving temporarily, among physically abused women who had left and returned at least once because of intimate-partner violence, by site

Site	Couldn't leave children (%)	Sanctity of marriage (%)	For sake of family (%)	Couldn't support children (%)	She loved him (%)	He asked her to go back (%)	Family said to return (%)	She forgave him (%)	She thought he would change (%)	He threatened	She could no longer stay where she was (%)	Violence normal (%)	Her status/ dignity (%)	Family status/ honor (%)	Other reason (%)	Total no. of women who reported having left and returned at least once
Bangladesh city	28.3	18.5	33.7	4.3	7.6	52.2	26.1	4.3	6.5	0.0	4.3	n.a.	4.3	12.0	2.2	92
Bangladesh province	45.1	26.5	57.8	10.8	7.8	44.1	33.3	9.8	8.8	1.0	3.9	n.a.	9.8	15.7	2.9	102
Brazil city	13.0	3.7	22.2	11.1	35.2	27.8	14.8	14.8	24.1	5.6	18.5	n.a.	n.a.	n.a.	16.7	54
Brazil province	24.3	1.9	17.8	7.5	18.7	37.4	10.3	9.3	10.3	4.7	8.4	n.a.	n.a.	n.a.	17.8	107
Ethiopia province	44.6	28.2	21.8	12.3	2.5	10.1	19.3	6.0	3.2	0.0	1.6	n.a.	n.a.	n.a.	8.2	316
Japan city	20.8	8.3	29.2	4.2	20.8	25.0	8.3	12.5	29.2	0.0	4.2	n.a.	n.a.	n.a.	8.3	24
Namibia city	17.3	10.7	10.7	9.3	33.3	48.0	6.7	32.0	13.3	0.0	8.0	n.a.	n.a.	n.a.	12.0	75
Peru city	30.3	2.5	30.3	6.6	13.9	41.8	9.8	27.0	23.8	0.8	12.3	n.a.	n.a.	n.a.	26.2	122
Peru province	47.8	5.2	18.2	8.2	8.6	41.2	11.0	33.0	18.2	3.8	15.1	n.a.	n.a.	n.a.	22.7	291
Samoa	52.4	14.3	5.6	0.8	12.7	38.1	4.0	14.3	0.8	0.8	0.8	n.a.	n.a.	n.a.	5.6	126
Serbia and Montenegro city	34.1	4.9	19.5	12.2	14.6	31.7	4.9	17.1	14.6	4.9	14.6	4.9	n.a.	n.a.	9.8	41
Thailand city	29.6	3.7	27.2	1.2	14.8	39.5	6.2	14.8	7.4	2.5	0.0	n.a.	n.a.	n.a.	28.4	81
Thailand province	31.3	5.4	19.6	0.0	20.5	33.9	7.1	25.0	3.6	0.0	0.9	n.a.	n.a.	n.a.	28.6	112
United Republic of Tanzania city	19.5	16.9	11.0	2.5	7.6	42.4	22.9	39.0	13.6	0.8	3.4	n.a.	n.a.	n.a.	16.1	118
United Republic of Tanzania province	24.2	10.5	15.3	2.4	8.1	33.1	21.8	50.0	12.1	0.0	5.6	n.a.	n.a.	n.a.	18.5	124

n.a., not available (the answer option was not precoded in the questionnaire).

Appendix Table 23 Reasons cited for staying among ever physically abused women who had never left temporarily because of intimate partner violence, by site

Site	Couldn't leave children (%)	Sanctity of marriage (%)	For sake of family (%)	Couldn't support children (%)	She loved him (%)	She didn't want to be single (%)	Family said to return (%)	She forgave him (%)	She thought he would change (%)	He threatened her/children (%)	She had nowhere to go (%)	Violence normal (%)	Her status/ dignity (%)	Family status/ honor (%)	Other reason (%)	Total no. of women who reported never having left
Bangladesh city	41.7	60.3	7.6	9.9	24.5	21.6	0.7	16.5	7.1	0.0	12.2	n.a.	24.8	28.9	2.3	436
Bangladesh province	43.8	55.0	9.4	8.5	20.1	21.3	1.8	15.7	4.3	0.0	10.3	n.a.	16.8	36.2	4.0	447
Brazil city	24.7	4.0	4.7	11.3	22.7	4.0	0.7	24.0	14.0	3.3	9.3	n.a.	n.a.	n.a.	38.7	150
Brazil province	29.0	1.0	4.1	10.9	23.8	7.3	2.6	17.1	5.2	1.0	9.8	n.a.	n.a.	n.a.	42.0	193
Ethiopia province	58.2	38.5	4.7	5.9	3.6	2.5	1.5	3.0	8.6	0.5	0.3	n.a.	n.a.	n.a.	5.7	758
Japan city	33.7	4.3	5.4	5.4	12.0	4.3	2.2	26.1	16.3	1.1	17.4	n.a.	n.a.	n.a.	19.6	92
Namibia city	16.6	7.8	4.1	4.6	36.9	4.1	2.8	16.6	14.3	1.4	8.3	n.a.	n.a.	n.a.	24.0	217
Peru city	42.3	3.0	5.6	3.9	8.9	2.6	1.6	10.8	6.2	1.0	15.4	n.a.	n.a.	n.a.	57.0	305
Peru province	52.7	8.6	12.3	6.1	11.0	5.4	2.7	16.0	9.1	2.4	19.4	n.a.	n.a.	n.a.	34.5	592
Samoa	63.6	26.4	9.5	0.6	44.1	1.4	1.1	17.5	2.3	0.0	0.6	n.a.	n.a.	n.a.	2.9	349
Serbia and Montenegro city	20.8	6.9	5.4	2.3	17.7	0.8	0.8	10.8	9.2	0.0	5.4	46.2	n.a.	n.a.	11.5	130
Thailand city	46.3	8.2	2.2	1.5	41.8	3.0	0.0	11.9	1.5	0.0	7.5	n.a.	n.a.	n.a.	40.3	134
Thailand province	50.5	9.5	5.5	1.8	40.0	2.3	2.3	9.5	9.5	1.4	4.5	n.a.	n.a.	n.a.	34.1	220
United Republic of Tanzania city	17.6	22.7	17.2	5.1	16.5	5.9	6.2	43.6	11.0	1.5	4.4	n.a.	n.a.	n.a.	31.5	273
United Republic of Tanzania province	22.8	22.0	14.3	4.3	12.5	2.8	6.0	47.0	10.8	0.3	5.3	n.a.	n.a.	n.a.	29.3	400

n.a., not available (the answer option was not precoded in the questionnaire).

Index

Abortions, induced xv, 63–64, 69, 86, 187	respondents' satisfaction with interview 107–108					
Acquaintances (see also Friends)	response rates 22–23					
childhood sexual abuse 51, 184-185	sampling strategy 102					
physical violence 45, 182–183	sexual and reproductive health outcomes 63–72					
sexual violence 45, 184-185	summary of findings 83–87					
Adolescent health, promotion 93–94	survey sites 19, 20					
Age	women's coping strategies and responses 73–80,					
criteria, study participation 19	188–197					
distribution	Barbados 53					
respondents 108, 109	Behaviour change, Transtheoretical Model 80					
sample vs population 23, 112-113, 114-117	Beijing Platform for Action (1995) 3,91					
at first sexual experience 51,52,54	Bias 23, 28, 87–88					
intimate partner violence and 30, 32-33, 84, 170-177	cultural 87					
respondents vs non-respondents 113, 117	participation 112–113, 117					
Agencies, help seeking from xvi, 74–76, 79, 190–191	recall 61–62, 69, 87					
AIDS, see HIV infection/AIDS	sampling 111–112					
Anonymous reporting, childhood sexual abuse	Boyfriends					
16, 49–50, 53	childhood sexual abuse by 185					
Antenatal health services	violence by 45, 183, 185					
recommendations for action 95–96	Brazil 8					
use of 64–65	characteristics of respondents 108–111					
Anxiety disorders 61	childhood sexual abuse 49–51					
Attitudes	forced first sexual experience 52					
to violence against women	health outcomes of violence 55–58, 59–60, 186–187					
changing 91,92–93	impact of WHO Study 8,9					
monitoring 92	intimate partner violence 28–42, 168–169, 171,					
research needs 97	178–181					
women's, to partner violence xiii-xiv, 37, 38, 39-41,	non-partner violence (since age 15) 43-48, 182-185					
84–85	prevalence of violence (since age 15) 46,47					
Authorities	representativeness of sample - 13, 4- 7					
help seeking from xvi, 74–76, 79, 190–191	research team members 19–121					
reporting intimate partner violence to 74, 189	respondents' satisfaction with interview 107–108					
	response rates 22–23					
Bangladesh 7–8	sampling strategy 102					
characteristics of respondents 108-111	sexual and reproductive health outcomes 63–72					
childhood sexual abuse 49-51,53	summary of findings 83–87					
forced first sexual experience 51,52,53	survey sites 19, 20					
health outcomes of violence 55-58, 59-60, 186-187	women's coping strategies and responses 73–80,					
intimate partner violence 28–42, 168–169, 170, 178–181	188–197					
non-partner violence (since age 15) 43-48, 182-185	Cambodia					
prevalence of violence (since age 15) 46, 47	controlling behaviour and 36					
representativeness of sample	prevalence of violence (since age 15) 47					
recearch team members 119	sexual and reproductive health outcomes 69					

```
women's violence against men 39
Canada
 health outcomes 61,69
 help-seeking behaviour 79
 intimate partner violence 33
Causality, proof of 87
Centers for Disease Control and Prevention (CDC) 5
Childhood sexual abuse xiv, 49–51, 52–53, 85
 anonymous reporting 16, 49–50, 53
 definition 14
 enhancing disclosure 16,53
 extent of disclosure 50
 health outcomes 53
 measuring 16, 49-50
 national prioritization 92
 perpetrators 50-51, 184-185
 prevalence 50
 prevention 93
Chile 8, 69
China 8, 69
CIOMS, see Council for International Organizations of
   Medical Sciences
Cluster sampling scheme 19, 28
                                                     Data
Coerced first sexual experience 53-54
Coerced sex, by intimate partners 31
Cohabitation
 age-related risk of violence and 33
 intimate partner violence and 33, 84
 study respondents 109-110
Collaboration, supporting xviii, 97–98
Collective violence 13
Colombia 36, 47, 69
Community-based prevention approaches 93
Condoms, use by violent partners 68, 69–70, 86
 refused 68-69,71
 requested 68-69,71
Confidentiality 21
Conflict Tactics Scale 4
Consciousness, loss of 58
Consent 22
Contraception (see also Condoms, use by violent
   partners)
 forced first sex and 53
```

intimate partner violence and 70

```
Controlling behaviours xiii, 14, 84
 association with violence 36, 84, 182-183
 prevalence 34-35, 36
 types 36
Convention on the Elimination of All Forms of
   Discrimination against Women (1979) 91
Coping strategies, women's xvi–xvii, 73–80, 86–87,
   188-197
 interviewer training 106
Council for International Organizations of Medical
   Sciences (CIOMS) 21
Country-specific variations
 definition of ever-partnered women 15
 interviewer selection and training 104-107
 intimate partner violence 41-42, 83-84
 non-partner violence 47
 questionnaire translation/adaptation 17, 18, 105
 response rates 22–23
Criminal justice systems, sensitizing xviii, 96–97
Cultural biases 87
Daily activities, problems with carrying out 56, 57, 186
 analysis 108
 processing 108
 quality, enhancing 101-104
Dating 110
Debriefing, interviewer 106
Declaration on the Elimination of Violence against
   Women (United Nations, 1993) 4,91
Degrading sexual behaviours, forced 31
Demographic and Health Surveys (DHS) 5
 prevalence of violence (since age 15) 46-47
 reproductive health outcomes 69
  women's violence against men 39
Demographic factors, intimate partner violence
   32-35, 84, 170-177
Depression 61
Design, study (see also Methodology) 19–21
 effects on results 28
 strengths and limitations 87-88
Development agencies 97
Disclosure
```

of childhood sexual abuse 50

methods of enhancing 16,53	survey site 19, 20
of violence	women's coping strategies and responses 73-80,
interviewer training and 106–107	188–197
maximizing 17–18	European Institute for Crime Prevention and Control
to other people xvi, 73-74, 79, 188-189	4–5
in pregnancy 69	Ever-partnered women
sources of bias 23–24	age distribution 108, 109
Divorced women	definitions 15
intimate partner violence 33, 84	proportions in different study sites 109–110
proportions in different sites 110	
protection from violent ex-partners 97	Family members
Dizziness 56, 57, 187	childhood sexual abuse by 50–51, 184
Domestic violence (see also Intimate partner violence) 13	physical violence by 44, 182, 183
Dominican Republic	provision of help by 74, 77–78, 79, 188, 194
controlling behaviour 36	sexual violence by 45, 184
prevalence of violence (since age 15) 47	told about violence, by women 74, 79, 188
sexual and reproductive health outcomes 69	Fathers childhood sexual abuse 51,184
women's violence against men 39 Donors, international 97–98	, and the second
Donors, international 97–70	physical violence by 44, 182 sexual violence by 184
Ecological model, violence 5–6	Fear (see also Emotional abuse)
Education, improving women's access to 90–91	coerced sex through 31
Education sector	preventing help seeking 75–76
prevention of violence within xviii, 94–95	Female family members
role in preventing child sexual abuse 93	childhood sexual abuse 51, 184
Educational level	physical violence 44, 182, 183
intimate partner violence and 33–35, 84, 170–177	sexual violence 184
study respondents 110–111	Fighting back, against intimate partner violence
Egypt 69	76,77,79
Eligibility criteria, study respondents 19	First sexual experience 49, 52
Emotional abuse xiii, 34, 35–36, 84	age at 51,52,54
definitions 14,89	coerced 53–54
measurement issues 35–36	forced xiv-xv, 49, 51, 52, 53-54, 85
prevalence 89	Focus group discussions 17
types 35, 180–181	Focusing Resources on Effective School Health
Emotional distress, intimate partner violence and 59,86	(FRESH) 94
Environmental safety, improving 94	Forced first sexual experience xiv-xv, 49, 51, 52,
Ethical issues 21–22	53–54, 85
in-depth interviews with survivors 16-17	Forced sex, by intimate partners 31
WHO guidelines 21	Formative research, WHO Study 6-17
Ethiopia 8	FRESH initiative 94
characteristics of respondents 108–111	Friends (see also Acquaintances)
childhood sexual abuse 49–51	provision of help 79, 188, 194
forced first sexual experience 51, 52, 53	told about violence, by women 74, 79, 188
health outcomes of violence 55–58, 59–60, 186–187 interviewer selection and training 105	Funding issues 97–98
intimate partner violence 28–42, 168–169, 172, 178–181	Gender-based violence, see Violence against women Gender equality, promotion 90–91
non-partner violence (since age 15) 43–48, 182–185	Ghana 53,61
prevalence of violence (since age 15) 46, 47	Global Campaign on Violence Prevention, WHO 4, 93
representativeness of sample - 13, 4 - 17	Global Coalition on Women and AIDS 94
research team members 121	Governments, national, see National governments
respondents' satisfaction with interview 107–108	-
response rates 22–23	Haiti 36, 39, 69
sampling strategy 21, 102	Health
sexual and reproductive health outcomes 63–72	physical, intimate partner violence and xv, 55-58,

61–62, 85, 186–187

summary of findings 83-87

```
self-reported, intimate partner violence and 55–57,61 | International Violence Against Women Survey
Health care, for injuries 58
                                                           (IVAWS) 4-5
Health outcomes of violence 89
                                                       Interpersonal violence | 3
 childhood sexual abuse 53
                                                         ecological model 5-6
 global research 5
                                                       Interviewers
 by intimate partners xv, 55-62, 85-86, 186-187
                                                         safety issues 5, 16–17, 21–22
Health sector
                                                         selection and training 104-107
 developing comprehensive response 95
                                                         supervision and monitoring 101-104
 prevention of child sexual abuse 93
                                                       Interviews
 recommendations xviii, 92, 95-96
                                                         conduct of 22
Health services
                                                         in-depth formative 16-17
 antenatal and postnatal, use of 64–65
                                                         respondents' satisfaction with 23, 107-108
 help seeking from 75, 79, 190
                                                       Intimate partner violence (see also Non-partner
                                                           violence; Violent intimate partners; specific types of
 people providing 74, 79, 188-189
                                                           violence) xii-xiii, 13, 83-85
                                                         controlling behaviour and 36, 84, 182-183
 strengthening support systems 96
Help seeking 86–87
                                                         definitions 14
 from agencies and authorities xvi, 74-76, 79,
                                                         demographic associations 32-35, 84, 170-177
   190-191
                                                         determinants of prevalence 88
 barriers 75, 77, 79, 87, 192-193
                                                         disclosure, see Disclosure, of violence
 first points of contact xvi, 73-74, 79, 188-189
                                                         ecological model 5-6
 health sector role 95
                                                         health outcomes xv, 55-62, 63-72, 85-86, 186-187
 informal networks 74, 79, 87
                                                         in-depth interviews with survivors 16-17
 reasons for 75, 190-191
                                                         injuries caused by xv, 57–58, 61, 85
HIV infection/AIDS
                                                         measuring 14-15
 prevention 93-94
                                                         in pregnancy, see Pregnancy, physical violence in
                                                         prevalence 4, 27-42, 168-177
 risk of xvi, 31, 66–71, 86
Home
                                                         primary prevention 92-93
 leaving xvii, 77-78, 79, 192-197
                                                         research recommendations 97-98
 returning 78, 194-195
                                                         risk and protective factors 5-6, 88
Households
                                                         risk profiles 88
 response rates 22-23, 166-167
                                                         severity, see Severity of intimate partner violence
 sampling 21
                                                         timing 15, 88, 178–179
Human rights, promoting women's 90–91
                                                         types 13, 30–31, 178–179, 180–181
                                                         vs non-partner violence xiv, 46, 47
Humiliating sexual behaviours, forced 31
                                                         by women against men 36-39
Ill-health, intimate partner violence and 55–57, 61
                                                         women's attitudes to xiii-xiv, 37, 38, 39-41, 84-85
INCLEN, see International Clinical Epidemiology Network
                                                         women's coping strategies and responses 73-80,
India 47, 69
Indonesia 8, 32, 69
                                                       IRNVAW, see International Research Network on
Induced abortions xv, 63–64, 69, 187
                                                           Violence against Women
Infidelity
 of violent intimate partners 66-68, 69, 86
                                                       Japan 8
 of women, attitudes to wife-beating for 37, 39, 40, 41
                                                         characteristics of respondents 108-111
Informants, key | 16
                                                         childhood sexual abuse 49-51
Information cards/leaflets/booklets 22
                                                         forced first sexual experience 51,52
Injuries, physical (see also Severity of intimate partner
                                                         health outcomes of violence 55-58, 59-60, 186-187
   violence) xv, 57-58, 61, 85
                                                         interviewer selection and training 104, 105
 recall bias 61
                                                         intimate partner violence 28-42, 168-169, 172,
 severity of violence and 30
                                                           178-181
Injury surveillance guidelines 92
                                                         non-partner violence (since age 15) 43-48, 182-185
International Clinical Epidemiology Network
                                                         prevalence of violence (since age 15) 46, 47
   (INCLEN) 4
                                                         representativeness of sample | | | - | | 13, | | 4-| | 17
                                                         research team members 122
International conferences/agreements 3,91
International Reproductive Health Surveys (IRHS) 5
                                                         respondents' satisfaction with interview 107–108
```

response rates 22-23

sampling strategy 21, 102

International Research Network on Violence against

Women (IRNVAW) 4,21,104

Help

sexual and reproductive health outcomes 63–72	background to 3–4
summary of findings 83–87	basis for action 89
survey site 19, 20	core research team 7, 118
women's coping strategies and responses 73–80,	country research team members 119–126
188–197	definitions 13–16
	ethical and safety considerations 21–22
Kenya 53	executive summary xii–xvii
Key informants 16	formative research 16–17
	methodology, see Methodology
Leaders	national and local reports 9
prevention of child sexual abuse 93	objectives xii, 6–7
provision of help to women 75	organization xii, 7
recommendations for involving 92, 96	participating countries 7–9
reporting violence to 75, 189	preliminary impact 8,9
speaking out against violence 92	qualitative data 88
women seeking help from 75, 191	questionnaire, see Questionnaire
Leaving, violent partners xvii, 77–78, 79, 80, 192–197	recommendations xvii–xviii, 90–98
Legal systems, sensitizing 96–97	response rates 22–24
London School of Hygiene and Tropical Medicine xii, 7	sample design 19–21
	steering committee 7, 118
MACRO International 5	strengths and limitations 87–88
Male family members	studying men 7, 36–37
childhood sexual abuse 51, 184	summary of findings 83–87
physical violence 44, 182	survey sites 20
sexual violence by 184	Multisectoral plans, national 91–92
Marital status, see Partnership status	Nicositics 0
Married women	Namibia 8
intimate partner violence and 33,84	characteristics of respondents 108–111 childhood sexual abuse 49–51
proportions in different study sites 109, 110 Media campaigns 93	forced first sexual experience 52
Memory problems 56, 57, 187	health outcomes of violence 55–58, 59–60, 186–187
Men (see also Male family members; Violent intimate	impact of WHO Study 9
partners)	intimate partner violence 28–42, 168–169, 173,
campaigns targeting 93	178–181
studying 7, 36–37	non-partner violence (since age 15) 43–48, 182–185
women's violence against 36–39	prevalence of violence (since age 15) 46,47
Mental health outcomes	representativeness of sample 111–113, 114–117
intimate partner violence xv, 59–60, 61–62, 86, 186	research team members 123
Methodology 4, 101–117	respondents' satisfaction with interview 107–108
characteristics of respondents 108–111	response rates 22–23
data processing and analysis 108	sampling strategy 102
definitions 13–17	sexual and reproductive health outcomes 63–72
enhancing data quality 101–104	summary of findings 83–87
ensuring cross-site comparability 101, 102–103	survey site 19,20
interviewer selection and training 104–107	women's coping strategies and responses 73–80,
materials available to others 104	188–197
questionnaire development 17-18	National governments
representativeness of sample - 3, 4- 7	enlisting social, political, religious and other leaders 92
respondent satisfaction with interview 107–108	monitoring violence, and perpetuating attitudes and
strengths and limitations 87–88	beliefs 92
Miscarriages xv, 63–64, 69, 86, 187	multisectoral planning to address violence 91–92
Monitoring	promoting gender equality and women's human
study interviewers 104	rights 90–91
violence against women 92	study recommendations xvii, 90–92
Multi-country Study on Women's Health and	Neighbours
Domestic Violence against Women (WHO Study)	provision of help 74 189 194

told about violence, by women 74, 79, 189

areas for further analysis xvii, 88–89

New Zealand demographic associations 32–35 childhood sexual abuse 53 injuries caused by xv, 57–58 WHO Study 8,83 mental health outcomes xv, 59-60, 61-62, 86 Nicaragua overlap with sexual violence 32 childhood sexual abuse 53 physical health outcomes 55–58, 61–62, 85 controlling behaviour 36 prevalence 28-30, 41, 168-177 reproductive health outcomes 69 severity, see Severity of intimate partner violence sexual and reproductive health outcomes 63-72, 86 women's help-seeking behaviour 79 timing 178-179 Non-partner violence (since age 15) (see also Intimate partner violence; specific types of violence) xiv-xv, types 30-31, 178-179, 180-181 43-48, 85 women's attitudes to 37, 38, 39-41, 84-85 definitions 14 women's coping strategies and responses xvi-xvii, measuring 15–16 perpetrators 43-45, 182-185 by non-partners (since age 15) xiv, 14, 43-45 prevalence 43, 44, 45 perpetrators 43-45, 182-183 vs partner violence xiv, 46, 47 prevalence 43, 44, 45 Nongovernmental organizations 97 in pregnancy, see Pregnancy, physical violence in prevalence 4, 46, 83 Older women, intimate partner violence 32–33, 84 Plans, national multisectoral 91–92 Pain 56, 57, 187 help seeking from 74-75, 79, 189, 190, 191 Parity, intimate partner violence and 66, 68, 69 provision of help 189 Participants, study, see Respondents, study recommendations 96-97 Participation bias | |2-||3, ||7 violence by 182, 184 **Partners** Politicians, speaking out against violence 92 defining 15 Postnatal health services, use of 64–65 Pregnancy multiple sexual, see Sexual partners, multiple physical violence in xv, 65-66, 67, 69, 86 violence by, see Intimate partner violence definition 14 violent intimate, see Violent intimate partners recommendation for action 95-96 Partnership status intimate partner violence and 33, 84, 170-177 unintended 69 study respondents 108-110 use of health services 64-65 Prevention characteristics of respondents 108-111 primary xviii, 92-94 childhood sexual abuse 49-51 research needs 97 forced first sexual experience 51,52 **Privacy** 21, 105 health outcomes of violence 55-58, 59-60, 186-187 Program for Appropriate Technology in Health impact of WHO Study 8 **(PATH)** xii, 7 intimate partner violence 28-42, 168-169, 173-174, Programme of Action of the International Conference 178-181 on Population and Development (1994) 91 non-partner violence (since age 15) 43-48, Protective factors (for violence) 5-6,88 182-185 research needs 97 prevalence of violence (since age 15) 46, 47 Psychological abuse, see Emotional abuse representativeness of sample 111-113, 114-117 Public awareness (see also Attitudes) 3 research team members 123-124 campaigns 93 respondents' satisfaction with interview 107–108 Qualitative data 88 response rates 22–23 sampling strategy 102-103 Quality control measures |0| sexual and reproductive health outcomes 63-72 Questionnaire | 27-164 summary of findings 83-87 availability to others 104 survey sites 19, 20 country adaptation 18, 105 women's coping strategies and responses 73-80, development 17-18 188-197 editing and review 104 structure 17, 18 Physical violence

translation 17.18

Recall bias 61-62, 69, 87

Peru 8

by intimate partners xii-xiii, 14, 28-35, 83-84

controlling behaviour and 36, 84, 182-183

acceptance by women 38-39, 40

Recommendations, study xvii–xviii, 90–98	respondents' satisfaction with interview 107–108
Refusal, to participate in study 113, 117	response rates 22–23
Relatives, see Family members	sampling strategy 103
Religious leaders	sexual and reproductive health outcomes 63–72
help seeking from 75, 189, 191	summary of findings 83–87
provision of help 189	survey of men 36–37
recommendations for involving 92, 96	survey site 19, 20
violence by 183, 185	women's coping strategies and responses 73-80,
Representativeness, sample - 3, 4- 7	188–197
Reproductive health outcomes	Sample (see also Respondents, study)
childhood sexual abuse 53	representativeness
intimate partner violence xv, 63-72, 86, 187	sizes 19
Reproductive health services	stratification 19
recommendations for action 95–96	Sample design (see also Design, study) 19–21
use of 64–65	limitations 87–88
Research	Sampling
recommendations xviii, 97–98	bias III-II2
WHO guidance materials 104	cluster 19, 28
Research teams	strategies, ensuring cross-site comparability 101,
core xii, 7, 118	102–103
country xii, 7, 119–126	Satisfaction with interview, respondents' 23, 107–108
Respondents, study (see also Women)	Schools
age distribution 23, 108, 109	prevention of violence within xviii, 94–95
characteristics 108–111	role in preventing child sexual abuse 93
education II0–III	Selection, study interviewers 04-107
eligibility 19	Self-directed violence 13
partnership status 108–110	Separated women
representativeness - 3, 4- 7	intimate partner violence 33, 84
safety 5, 16–17, 21–22	proportions in different sites 110
satisfaction with interview 23, 107-108	protection from violent ex-partners 97
Response rates 22–24, 166–167	violence continuing after separation 33
household 22–23, 166–167	Serbia and Montenegro 8
individual 23, 166–167	characteristics of respondents 108-111
Risk factors (for violence)	childhood sexual abuse 49–51,53
ecological framework 5–6	forced first sexual experience 51,52
identifying 5–6	health outcomes of violence 55–58, 59–60, 186–187
intimate partner violence 88	interviewer selection and training 104, 105, 106–107
research needs 97	intimate partner violence 28-42, 168-169, 175,
Risk-taking behaviour, childhood sexual abuse and $\ 53$	178–181
Rural environments, improving safety 94	non-partner violence (since age 15) 43-48,
Rural-urban differences, see Urban-rural differences	182–185
	prevalence of violence (since age 15) 46,47
Safety	representativeness of sample - 13, 4- 7
physical environment, for women 94	research team members 125
school environment, for girls 94–95	respondents' satisfaction with interview 107–108
study respondents and interviewers 5, 16-17, 21-22	response rate 22–23
Samoa 8	sampling strategy 103
characteristics of respondents 108–111	sexual and reproductive health outcomes 63-72
childhood sexual abuse 49–51	summary of findings 83–87
forced first sexual experience 52	survey site 19, 20
health outcomes of violence 55-58, 59-60, 186-187	women's coping strategies and responses 73-80,
intimate partner violence 28-42, 168-169, 174,	188–197
178–181	Services, support, see Support services
non-partner violence (since age 15) 43-48, 182-185	Severity of intimate partner violence (see also Injuries,
prevalence of violence (since age 15) 46, 47	physical) 30–31, 178–179
prevalence of violence (since age 13) 10, 17	1 / 1 2

help-seeking behaviour and 75, 76

research team members 125

```
leaving home and 77-78
                                                         availability 75, 79-80, 87
 measurement 14, 15
                                                         help seeking from 74-76, 79, 86-87, 190-191
  telling other people and 74,75
                                                         recommendations xvii, 95-96
Sexual abuse (see also Sexual violence)
                                                         referrals to 22
  childhood, see Childhood sexual abuse
                                                         surveillance systems 92
  global prevalence 4
                                                       Surveillance systems 92–93
Sexual autonomy (right to refuse sex), women's views
                                                       Symptoms, physical, intimate partner violence and
    40_41.84
                                                          55-57. 186-187
Sexual behaviour, childhood sexual abuse and 53
Sexual experience, first, see First sexual experience
                                                       Tanzania, United Republic of 8
Sexual health outcomes, intimate partner violence
                                                         characteristics of respondents 108-111
   63-72, 86
                                                         childhood sexual abuse 49-51,53
Sexual partners, multiple (see also Infidelity)
                                                         forced first sexual experience 51,52
  of violent partners 66-68, 69, 86
                                                         health outcomes of violence 55-58, 59-60, 61.
Sexual violence (see also Childhood sexual abuse)
                                                          186-187
  by intimate partners xiii, 14, 28-35, 83-84
                                                         impact of WHO Study 8
                                                         intimate partner violence 28-42, 168-169, 176-177.
    acceptance by women 38-39, 40
    controlling behaviour and 36, 84, 182-183
    demographic associations 32–35
                                                         non-partner violence (since age 15) 43-48, 182-185
    mental health outcomes xv, 59-60, 61-62, 86
                                                         prevalence of violence (since age 15) 46, 47
    overlap with physical violence 32
                                                         representativeness of sample | | | - | | 13, | | 4-| | | 7
    physical health outcomes 55-58, 61-62, 85
                                                         research team members 126
    prevalence 28-30, 31, 41, 168-177
                                                         respondents' satisfaction with interview 107-108
    sexual and reproductive health outcomes 63-72, 86
                                                         response rates 22–23
  by non-partners (since age 15) xiv-xv, 14, 45
                                                         sampling strategy 103
    perpetrators 45, 184-185
                                                         sexual and reproductive health outcomes 63-72
   prevalence 44, 45
                                                         summary of findings 83-87
  prevalence 4, 46, 83
                                                         survey sites 19, 20
  primary prevention 93
                                                         women's coping strategies and responses 73-80,
Sexually transmitted infections (STIs)
                                                           188-197
  prevention 93-94
                                                       Teachers
  risk of xvi, 66-71, 86
                                                         prevention of child sexual abuse 93
Shelters 75.78
                                                         violence by 45, 94, 182, 184
Social networks, informal
                                                       Teams, research, see Research teams
  help seeking from 74, 79, 87
                                                       Telling other people (about partner violence) 73–74,
  strengthening 96
                                                          75, 79, 188–189
Soldiers, violence by 182, 184
                                                       Thailand 8
South Africa 36, 61, 69
                                                         characteristics of respondents 108–111
Spontaneous abortions, see Miscarriages
                                                         childhood sexual abuse 49-51
SPSS software 108
                                                         forced first sexual experience 51,52
SRQ-20 59
                                                         health outcomes of violence 55-58, 59-60, 186-187
Statistics Canada 5
                                                         impact of WHO Study 8
                                                         intimate partner violence 28-42, 168-169, 175,
Steering committee, study 7, 118
Stepfathers
                                                          178-181
  childhood sexual abuse 51, 184
                                                         non-partner violence (since age 15) 43-48, 182-185
  violence 182, 184
                                                         prevalence of violence (since age 15) 46, 47
                                                         representativeness of sample 111-113, 114-117
Strangers
  childhood sexual abuse 51, 185
                                                         research team members 125-126
  physical violence by 44, 45, 183
                                                         respondents' satisfaction with interview 107–108
  prevention of violence by 94
                                                         response rates 22–23
  sexual violence by 45, 185
                                                         sampling strategy 103
Stratification, sample 19
                                                         sexual and reproductive health outcomes 63-72
Suicidal thoughts/attempts xv, 59–60, 61, 86, 186
                                                         summary of findings 83-87
Supervisors, study
                                                         survey sites 19, 20
  functions 101-104
                                                         women's coping strategies and responses 73-80,
  selection and training 104-107
Support services
                                                       Timing, intimate partner violence | 15, 88, | 78–| 79
```

Training Women (see also Female family members; interviewers 104-107 Respondents, study) attitudes to intimate partner violence xiii-xiv, 37, 38, WHO materials 104 39-41,84-85 Translation, questionnaire 17 Transtheoretical Model of Behaviour Change 80 coping strategies and responses xvi-xvii, 73-80, 86-87, 89, 188-197 **Uganda** 53, 54 fighting back 76-77, 79 Unconsciousness 58 help-seeking behaviour 74-76, 79, 190-191 Unfaithfulness, see Infidelity human rights, promotion 90-91 United Nations, Declaration on the Elimination of leaving 77-78, 79, 80, 192-197 Violence against Women (1993) 4,91 self-defence against violence 39 United Nations Interregional Crime and Justice violence against men 36-39 Research Institute (UNICRI) 5 who they tell, and who helps xvi, 73-74, 75, 79, 188-189 United Republic of Tanzania, see Tanzania, United Republic of Women and child protection units 75 **United States** Women's organizations childhood sexual abuse 53 help seeking from 189, 191 controlling behaviour 36 involvement in study 7 intimate partner violence 33 national priorities 91-92 sexual and reproductive health outcomes 69 Work, violence by people at 183, 185 violence in pregnancy 69 World Health Organization (WHO) ethical and safety guidelines 21 women's coping strategies 80 women's violence against men 38 Global Campaign on Violence Prevention 4,93 United States Agency for International Development material on violence and health 98 (USAID) 5 Multi-country Study on Women's Health and Universal Declaration of Human Rights (1948) 91 Domestic Violence against Women, see Multi-country Urban environments, improving safety 94 Study on Women's Health and Domestic Violence against Women Urban-rural differences age-related risk of violence 32-33 research guidance materials 104 role in Multi-country Study 7 intimate partner violence 84 response rates 23 World report on violence and health (WHO 2002) Vaginal discharge 56, 57, 187 World Surveys of Abuse in Family Environments Viet Nam 8 (WorldSafe) 4 **Violence** (see also specific types of violence) defined 13 Younger women, intimate partner violence 32–33, 84 measuring 13-16 typology 13 Zambia 47 Violence against women (VAW) Zimbabwe 53 defined 4 definitions 13-16 global prevalence 4-6 increasing public awareness 3 overall prevalence (since age 15) 46,47 prevalence and patterns 83-85 reasons for studying 3-4 types 4 Violent intimate partners (see also Intimate partner violence; Men) leaving xvii, 77-78, 79, 80, 192-197 multiple sexual partners 66-68, 69, 86 protection of divorced/separated women from 97 use of condoms, see Condoms, use by violent partners Walking, problems with 56, 57, 186

WHO, see World Health Organization

Wife-beating, see Physical violence, by intimate partners